

| 筆頭著者         | 共同著者                                                                                                                                                                                            | 演題名                                                                                                                                                                                                                                                | 雑誌名                                                         | 巻   | 号  | 巻号      | 始頁   | 終頁   | 頁         | 発行年  |
|--------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------|-----|----|---------|------|------|-----------|------|
| Nagase H.    | Takeoka T., Urakawa S., Morimoto-Okazawa A., Kawashima A., Iwahori K., Takiguchi S., Nishikawa H., Sato E., Sakaguchi S., Mori M., Doki Y., Wada H.,                                            | ICOS+Foxp3+TILs in gastric cancer are prognostic markers and effector regulatory T cells associated with Helicobacter pylori.                                                                                                                      | International Journal of Cancer                             | 140 | 3  | 140(3): | 686  | 695  | 686-695   | 2017 |
| Wada H.      | Eguchi H., Nagano H., Kubo S., Nakai T., Kaibori M., Hayashi M., Takemura S., Tanaka S., Nakata Y., Matsui K., Ishizaki M., Hirokawa F., Komeda K., Uchiyama K., Kon M., Doki Y., Mori M.       | Perioperative allogenic blood transfusion is a poor prognostic factor after hepatocellular carcinoma surgery: a multi-center analysis.                                                                                                             | Surg Today                                                  | 48  | 1  | 48(1):  | 73   | 79   | 73-79     | 2017 |
| Fujiwara Y.  | Okada K., Omori T., Sugimura K., Miyata H., Ohue M., Kobayashi S., Takahashi H., Nakano H., Mochizuki C., Shimizu K., Yano M., Nakamura Y., Mori M., Doki Y.                                    | Multiple therapeutic peptide vaccines for patients with advanced gastric cancer.                                                                                                                                                                   | International Journal of Oncology                           | 50  | 5  | 50(5):  | 1655 | 1662 | 1655-1662 | 2017 |
| Eguchi H.    | Yamada D., Iwagami Y., Gotoh K., Kawamoto K., Wada H., Asaoka T., Noda T., Takeda Y., Tanemura M., Sakai D., Satoh T., Kudo T., Isohashi F., Mori M., Doki Y.                                   | Prolonged neoadjuvant therapy for locally advanced pancreatic cancer.                                                                                                                                                                              | Dig Surg                                                    | 35  | 1  | 35(1):  | 70   | 76   | 70-76     | 2017 |
| Miyata H.    | Yano M., Yasuda T., Yamasaki M., Murakami K., Makino T., Nishiki K., Sugimura K., Motoori M., Shiraishi O., Mori M., Doki Y.                                                                    | Randomized study of the clinical effects of $\omega$ -3 fatty acid-containing enteral nutrition support during neoadjuvant chemotherapy on chemotherapy-related toxicity in patients with esophageal cancer.                                       | Nutrition                                                   | 33  |    | 33():   | 204  | 210  | 204-210   | 2017 |
| Mizushima T. | Kameyama H., Watanabe K., Kurachi K., Fukushima K., Nezu R., Uchino M., Sugita A., Futami K.                                                                                                    | Risk factors of small bowel obstruction following total proctocolectomy and ileal pouch anal anastomosis with diverting loop-ileostomy for ulcerative colitis.                                                                                     | Ann Gastroenterol Surg                                      | 1   |    | 1       | 122  | 128  | 122-128   | 2017 |
| Mizushima T. | Fukunaga M., Sueda T., Ikeda M., Kato T., Kim H.M., Kudo T., Murata K., Nishimura J., Hata T., Matsuda C., Yamamoto H., Doki Y., Mori M.                                                        | Phase I/II study of bi-weekly XELIRI plus bevacizumab treatment in patients with metastatic colorectal cancer resistant to oxaliplatin-based first-line chemotherapy.                                                                              | Cancer Chemotherapy and Pharmacology                        | 80  | 1  | 80(1):  | 81   | 90   | 81-90     | 2017 |
| Matsuda C.   | Adachi Y.                                                                                                                                                                                       | Robotic surgery for colorectal cancer.                                                                                                                                                                                                             | Annals of Gastroenterological Surgery                       | 1   | 1  | 1(1):   | 75   | 75   | 75        | 2017 |
| Matsuda C.   | Adachi Y.                                                                                                                                                                                       | Evidence for laparoscopic peritoneal lavage for purulent diverticulitis.                                                                                                                                                                           | Annals of Gastroenterological Surgery                       | 1   | 3  | 1(3):   | 238  | 238  | 238       | 2017 |
| Yasui M.     | Tsujiinaka T., Mori M., Takahashi T., Nakashima Y., Nishida T.                                                                                                                                  | Characteristics and prognosis of rectal gastrointestinal stromal tumors: an analysis of registry data.                                                                                                                                             | Surgery Today                                               | 47  | 10 | 47(10): | 1188 | 1194 | 1188-1194 | 2017 |
| Yasui M.     | Takemasa I., Miyake Y., Hata T., Ikeda M., Miyake Y., Hasegawa J., Ota H., Matsuda C., Mizushima T., Doki Y., Mori M.                                                                           | Tumor size as an independent risk factor for postoperative complications in laparoscopic low anterior resection for advanced rectal cancer: A multicenter Japanese study.                                                                          | Surgical Laparoscopy, Endoscopy and Percutaneous Techniques | 27  | 2  | 27(2):  | 98   | 103  | 98-103    | 2017 |
| Yasui M.     | Ikeda M., Miyake M., Ide Y., Okuyama M., Shingai T., Kitani K., Ikenaga M., Hasegawa J., Akamatsu H., Murata K., Takemasa I., Mizushima T., Yamamoto H., Sekimoto M., Nezu R., Doki Y., Mori M. | Comparison of bleeding risks related to venous thromboembolism prophylaxis in laparoscopic vs open colorectal cancer surgery: a multicenter study in Japanese patients.                                                                            | American Journal of Surgery                                 | 213 | 1  | 213(1): | 43   | 49   | 43-49     | 2017 |
| Kobayashi S. | Tomokuni A., Gotoh K., Takahashi H., Akita H., Marubashi S., Yamada T., Teshima T., Fukui K., Fujiwara Y., Sakon M.                                                                             | A retrospective analysis of the clinical effects of neoadjuvant combination therapy with full-dose gemcitabine and radiation therapy in patients with biliary tract cancer.                                                                        | Eur J Surg Oncol                                            | 43  | 4  | 43(4):  | 763  | 771  | 763-771   | 2017 |
| Yamasaki M.  | Yasuda T., Yano M., Hirao M., Kobayashi K., Fujitani K., Tamura S., Kimura Y., Miyata H., Motoori M., Shiraishi O., Makino T., Satoh T., Mori M., Doki Y.                                       | Multicenter randomized phase II study of cisplatin and fluorouracil plus docetaxel (DCF) compared with cisplatin and fluorouracil plus Adriamycin (ACF) as preoperative chemotherapy for resectable esophageal squamous cell carcinoma (OGSG1003). | Annals of Oncology                                          | 28  | 1  | 28(1):  | 116  | 120  | 116-120   | 2017 |

|              |                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                 |                                      |     |    |         |      |      |                       |      |
|--------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|-----|----|---------|------|------|-----------------------|------|
| Fukushima S. | Uemura M, Gotoh K, Ujiike T, Wada H, Miyagawa S, Toda K, Sawa Y.                                                                                                                                                                                                                                   | Xeno-pericardial patch repair of the inferior vena cava for radical resection of renal cell carcinoma with tumor thrombus.                                                                                      | J Surg Oncol.                        | 116 | 6  | 116(6): | 775  | 782  | 775–782               | 2017 |
| Furuta M.    | Ueno M, Fujimoto A., Hayami S., Yasukawa S., Kojima F., Arihiro K., Kawakami Y., Wardell CP., Shiraishi Y., Tanaka H., Nakano K., Maejima K., Sasaki-Oku A., Tokunaga N., Boroevich KA., Abe T., Aikata H., Ohdan H., Gotoh K., Kubo M., Tsunoda T., Miyano S., Chayama K., Yamaue H., Nakagawa H. | Whole genome sequencing discriminates hepatocellular carcinoma with intrahepatic metastasis from multi-centric tumors                                                                                           | J Hepatol.                           | 66  | 2  | 66(2):  | 363  | 373  | 363–373               | 2017 |
| Kurokawa Y.  | Yan HK., Ryu MH., Masuzawa T., Park SR., Matsumoto S., Lee HJ., Honda H., Kwon OK., Ishikawa T., Lee KH., Nabeshima K., Kong SH., Shimokawa T., Yook JH., Doki Y., Im SA., Hirota S., Nishida T., Kang YK.                                                                                         | Phase II study of neoadjuvant imatinib in large gastrointestinal stromal tumours of the stomach.                                                                                                                | British Journal of Cancer            | 117 | 1  | 117(1): | 25   | 32   | 25–32                 | 2017 |
| Kurokawa Y.  | Yamaguchi T., Sasako M., Sano T., Mizusawa J., Nakamura K., Fukuda H.                                                                                                                                                                                                                              | Institutional variation in short- and long-term outcomes after surgery for gastric or esophagogastric junction adenocarcinoma: correlative study of two randomized phase III trials (JCOG9501 and JCOG9502).    | Gastric Cancer                       | 20  | 3  | 20(3):  | 508  | 516  | 508–516               | 2017 |
| Takahashi T. | Takahashi T, Nakatsuka R, Hara H, Higashi S, Tanaka K, Miyazaki Y, Makino T, Kurokawa Y, Yamasaki M, Takiguchi S, Mori M, Doki Y, Nakajima K.                                                                                                                                                      | Feasibility of real-time intestinal bloodstream evaluation using probe-based confocal laser endomicroscopy in a porcine intestinal ischemia model.                                                              | Surgical Endoscopy                   | 32  | 2  | 32(2):  | 1043 | 1050 | 1043–1050             | 2017 |
| Danno K.     | Hata T., Tamai K., Fujie Y., Ide Y., Kim H.M., Ohnishi T., Morita S., Yoshioka S., Kudo T., Nishimura J., Matsuda C., Akamatsu H., Mizushima T., Nezu R., Doki Y., Mori M.                                                                                                                         | Interim analysis of a phase II trial evaluating the safety and efficacy of capecitabine plus oxaliplatin (XELOX) as adjuvant therapy in Japanese patients with operated stage III colon cancer.                 | Cancer Chemotherapy and Pharmacology | 80  | 4  | 80(4):  | 777  | 785  | 777–785               | 2017 |
| Souma Y.     | Nakajima K., Taniguchi E., Takahashi T., Kurokawa Y., Yamasaki M., Miyazaki Y., Makino T., Hamada T., Yasuda J., Yumiba T., Ohashi S., Takiguchi S., Mori M., Doki Y.                                                                                                                              | Mucosal perforation during laparoscopic surgery for achalasia: impact of preoperative pneumatic balloon dilation.                                                                                               | Surgical Endoscopy                   | 31  | 3  | 31(3):  | 1427 | 1435 | 1427–1435             | 2017 |
| Makino T.    | Yamasaki M., Tanaka K., Tatsumi M., Takiguchi S., Hatazawa J., Mori M., Doki Y.                                                                                                                                                                                                                    | Importance of positron emission tomography for assessing the response of primary and metastatic lesions to induction treatments in T4 esophageal cancer.                                                        | Surgery (United States)              | 162 | 4  | 162(4): | 836  | 845  | 836–845               | 2017 |
| Makino T.    | Yamasaki M., Tanaka K., Wada N., Miyazaki Y., Takahashi T., Kurokawa Y., Nakajima K., Takiguchi S., Mori M., Doki Y.                                                                                                                                                                               | The impact of prophylactic administration of a neutrophil elastase inhibitor on the postoperative course in older patients undergoing esophagectomy for esophageal cancer: a propensity score-matched analysis. | Esophagus                            | 14  | 3  | 14(3):  | 241  | 248  | 241–248               | 2017 |
| Makino T.    | Yamasaki M., Miyazaki Y., Wada N., Takahashi T., Kurokawa Y., Nakajima K., Takiguchi S., Mori M., Doki Y.                                                                                                                                                                                          | Utility of initial induction chemotherapy with 5-fluorouracil, cisplatin, and docetaxel (DCF) for T4 esophageal cancer: a propensity score-matched analysis.                                                    | Disease of the Esophagus             |     |    |         |      |      | [Epub ahead of print] | 2017 |
| Takahashi H. | Haraguchi N., Nishimura J., Hata T., Matsuda C., Yamamoto H., Mizushima T., Doki Y., Mori M.                                                                                                                                                                                                       | Laparoscopic lymph node dissection around the inferior mesenteric artery for left-sided colon and rectal cancer.                                                                                                | Surgery Today                        | 48  | 3  | 48(3):  | 359  | 363  | 359–363               | 2017 |
| Takahashi H. | Takemasa I., Haraguchi N., Nishimura J., Hata T., Yamamoto H., Matsuda C., Mizushima T., Doki Y., Mori M.                                                                                                                                                                                          | The single-center experience with the standardization of single-site laparoscopic colectomy for right-sided colon cancer.                                                                                       | Surgery Today                        | 47  | 8  | 47(8):  | 966  | 972  | 966–972               | 2017 |
| Tanaka K.    | Makino T., Yamasaki M., Nishigaki T., Miyazaki Y., Takahashi T., Kurokawa Y., Nakajima K., Takiguchi S., Mori M., Doki Y.                                                                                                                                                                          | An analysis of the risk factors of anastomotic stricture after esophagectomy.                                                                                                                                   | Surg Today                           | 48  | 4  | 48(4):  | 449  | 454  | 449–454               | 2017 |
| Yamada D.    | Eguchi H., Iwagami Y., Mukai Y., Hashimoto Y., Asaoka T., Noda T., Kawamoto K., Gotoh K., Kobayashi S., Takeda Y., Tanemura M., Mori M., Doki Y.                                                                                                                                                   | Patients treated with preoperative chemoradiation for pancreatic ductal adenocarcinoma have impaired bone density, a predictor of distant metastasis                                                            | Annals of Surgical Oncology          | 24  | 12 | 24(12): | 3715 | 3724 | 3715–3724             | 2017 |

|              |                                                                                                                                                                                                            |                                                                                                                                                                                                            |                                             |     |    |          |      |      |           |      |
|--------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|-----|----|----------|------|------|-----------|------|
| Furukawa K   | Tanemura M, Miyoshi E, Eguchi H, Nagano H, Matsunami K, Nagaoka S., Yamada D, Asaoka T., Noda T., Wada H, Kawamoto K., Goto K., Taniyama K., Mori M., Doki Y.                                              | A practical approach to pancreatic cancer immunotherapy using resected tumor lysate vaccines processed to express $\alpha$ -gal epitopes.                                                                  | PLoS One                                    | 12  | 10 | 12(10):  |      |      | e0184901  | 2017 |
| Konno M.     | Asai A., Kawamoto K., Nishida N., Satoh T., Doki Y., Mori M., Ishii H.                                                                                                                                     | The one-carbon metabolism pathway highlights therapeutic targets for gastrointestinal cancer (Review).                                                                                                     | International Journal of Oncology           | 50  | 4  | 50(4):   | 1057 | 1063 | 1057–1063 | 2017 |
| Takahashi Y. | Sugimachi K., Yamamoto K., Niida A., Shimamura T., Sato T., Watanabe M., Tanaka J., Kudo S., Sugihara K., Hase K., Kusunoki M., Yamada K., Shimada Y., Moriya Y., Suzuki Y., Miyano S., Mori M., Mimori K. | Japanese genome-wide association study identifies a significant colorectal cancer susceptibility locus at chromosome 10p14.                                                                                | Cancer Sci                                  | 108 | 11 | 108(11): | 2239 | 2247 | 2239–2247 | 2017 |
| Mokutani Y.  | Hata T., Miyake Y., Kuroda H., Takahashi H., Haraguchi N., Nishimura J., Mizushima T., Yamamoto H., Doki Y., Mori M.                                                                                       | Metastasis from a primary hepatic angiosarcoma to the colon: A case report and literature review.                                                                                                          | Oncology Letters                            | 13  | 4  | 13(4):   | 2765 | 2769 | 2765–2769 | 2017 |
| Murakami K.  | Miyata H., Miyazaki Y., Makino T., Takahashi T., Kurokawa Y., Yamasaki M., Nakajima K., Takiguchi S., Mori M., Doki Y.                                                                                     | $\omega$ -3 fatty acids reduce chemotherapy-induced hematological toxicity by bone marrow stimulation in mice.                                                                                             | Journal of Parenteral and Enteral Nutrition | 41  | 5  | 41(5):   | 815  | 823  | 815–823   | 2017 |
| Tsukao Y.    | Yamasaki M., Miyazaki Y., Makino T., Takahashi T., Kurokawa Y., Miyata H., Nakajima K., Takiguchi S., Mimori K., Mori M., Doki Y.                                                                          | Overexpression of heat-shock factor 1 is associated with a poor prognosis in esophageal squamous cell carcinoma.                                                                                           | Oncology Letters                            | 13  | 3  | 13(3):   | 1819 | 1825 | 1819–1825 | 2017 |
| Kanemura T.  | Makino T., Miyazaki Y., Takahashi T., Kurokawa Y., Yamasaki M., Nakajima K., Takiguchi S., Mori M., Doki Y.                                                                                                | Distribution patterns of metastases in recurrent laryngeal nerve lymph nodes in patients with squamous cell esophageal cancer.                                                                             | Diseases of the Esophagus                   | 30  | 1  | 30(1):   | 1    | 7    | 1–7       | 2017 |
| Kitahara T.  | Haraguchi N., Takahashi H., Nishimura J., Hata T., Takemasa I., Mizushima T., Yamamoto H., Doki Y., Mori M.                                                                                                | Identification and characterization of CD107a as a marker of low reactive oxygen species in chemoresistant cells in colorectal cancer.                                                                     | Annals of Surgical Oncology                 | 24  | 4  | 24(4):   | 1110 | 1119 | 1110–1119 | 2017 |
| Miyo M.      | Takemasa I., Hata T., Mizushima T., Doki Y., Mori M.                                                                                                                                                       | Safety and feasibility of umbilical diverting loop ileostomy for patients with rectal tumor.                                                                                                               | World Journal of Surgery                    | 41  | 12 | 41(12):  | 3205 | 3211 | 3205–3211 | 2017 |
| Miyo M.      | Takemasa I., Ikeda M., Tuije M., Hasegawa J., Ohue M., Kato T., Mizushima T., Doki Y., Mori M.                                                                                                             | The influence of specific technical maneuvers utilized in the creation of diverting loop-ileostomies on stoma-related morbidity.                                                                           | Surgery Today                               | 47  | 8  | 47(8):   | 940  | 950  | 940–950   | 2017 |
| Miyo M.      | Takemasa I., Ishihara H., Hata T., Mizushima T., Ohno Y., Doki Y., Mori M.                                                                                                                                 | Long-term outcomes of single-site laparoscopic colectomy with complete mesocolic excision for colon cancer: Comparison with conventional multiport laparoscopic colectomy using propensity score matching. | Diseases of the Colon and Rectum            | 60  | 7  | 60(7):   | 664  | 673  | 664–673   | 2017 |
| Miyo M.      | Konno M., Colvin H., Nishida N., Koseki J., Kawamoto K., Tsunekuni K., Nishimura J., Hata T., Takemasa I., Mizushima T., Doki Y., Mori M., Ishii H.                                                        | The importance of mitochondrial folate enzymes in human colorectal cancer.                                                                                                                                 | Oncology Reports                            | 37  | 1  | 37(1):   | 417  | 425  | 417–425   | 2017 |
| Miyo M.      | Takemasa I., Ishihara H., Hata T., Mizushima T., Ohno Y., Doki Y., Mori M.                                                                                                                                 | The Author Replies.                                                                                                                                                                                        | Dis Colon Rectum                            | 60  | 11 | 60(11):  | 631  | 632  | 631–632   | 2017 |
| Osawa H.     | Nishimura J., Hiraki M., Takahashi H., Haraguchi N., Hata T., Ikenaga M., Murata K., Yamamoto H., Mizushima T., Doki Y., Mori M.                                                                           | Regeneration of peritoneal mesothelial cells after placement of hyaluronate carboxymethyl-cellulose (Seprafilm®).                                                                                          | Surgery Today                               | 47  | 1  | 47(1):   | 130  | 136  | 130–136   | 2017 |
| Ueda M.      | Iguchi T., Masuda T., Komatsu H., Nambara S., Sakimura S., Hirata H., Uchi R., Eguchi H., Ito S., Sugimachi K., Mizushima T., Doki Y., Mori M., Mimori K.                                                  | Up-regulation of SLC9A9 promotes cancer progression and is involved in poor prognosis in colorectal cancer.                                                                                                | Anticancer Research                         | 37  | 5  | 37(5):   | 2255 | 2263 | 2255–2263 | 2017 |
| Wada N.      | Takahashi T., Kurokawa Y., Nakajima K., Masuzawa T., Nakatsuka R., Kawada J., Nishida T., Kimura Y., Tanaka K., Miyazaki Y., Makino T., Yamasaki M., Takiguchi S., Mori M., Doki Y.                        | Appropriate follow-up strategies for gastrointestinal stromal tumor patients based on the analysis of recurrent interval and patterns.                                                                     | Digestion                                   | 95  | 2  | 95(2):   | 115  | 121  | 115–121   | 2017 |

|              |                                                                                                                                                                                   |                                                                                                                                                                                                                           |                                   |     |    |         |      |      |           |      |
|--------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|-----|----|---------|------|------|-----------|------|
| Wada N.      | Kurokawa Y., Miyazaki Y., Makino T., Takahashi T., Yamasaki M., Nakajima K., Takiguchi S., Mori M., Doki Y.                                                                       | The characteristics of the serum carcinoembryonic antigen and carbohydrate antigen 19-9 levels in gastric cancer cases.                                                                                                   | Surgery Today                     | 47  | 2  | 47(2):  | 227  | 232  | 227-232   | 2017 |
| Yamashita K. | Miyata H., Makino T., Masuie Y., Furukawa H., Tanaka K., Miyazaki Y., Takahashi T., Kurokawa Y., Yamasaki M., Nakajima K., Takiguchi S., Morii E., Mori M., Doki Y.               | High expression of the mitophagy-related protein pink1 is associated with a poor response to chemotherapy and a poor prognosis for patients treated with neoadjuvant chemotherapy for esophageal squamous cell carcinoma. | Ann Surg Oncol                    | 24  | 13 | 24(13): | 4025 | 4032 | 4025-4032 | 2017 |
| Yamashita K. | Kurokawa Y., Yamamoto K., Hirota M., Kawabata R., Mikami J., Masuzawa T., Takiguchi S., Mori M., Doki Y.                                                                          | Risk factors for poor compliance with adjuvant S-1 chemotherapy for gastric cancer: A multicenter retrospective study.                                                                                                    | Annals of Surgical Oncology       | 24  | 9  | 24(9):  | 2639 | 2645 | 2639-2645 | 2017 |
| Yamashita K. | Makino T., Tanaka K., Yamasaki M., Yamamoto M., Miyazaki Y., Takahashi T., Kurokawa Y., Nakajima K., Takiguchi S., Mori M., Doki Y.                                               | Peritherapeutic serum p53 antibody titers are predictors of survival in patients with esophageal squamous cell carcinoma undergoing neoadjuvant chemotherapy and surgery.                                                 | World Journal of Surgery          | 41  | 6  | 41(6):  | 1566 | 1574 | 1566-1574 | 2017 |
| Yamashita K. | Makino T., Yamasaki M., Tanaka K., Hara T., Miyazaki Y., Takahashi T., Kurokawa Y., Nakajima K., Takiguchi S., Mori M., Doki Y.                                                   | Comparison of short-term outcomes between 2- and 3- field lymph node dissection for esophageal cancer.                                                                                                                    | Disease of the Esophagus          | 30  | 11 | 30(11): | 1    | 8    | 1-8       | 2017 |
| Yamashita K. | Miyazaki Y., Takahashi T., Masuie Y., Motoori M., Kimura Y., Kurokawa Y., Makino T., Yamasaki M., Nakajima K., Takiguchi S., Mori M., Doki Y.                                     | Safety and feasibility of laparoscopic gastrectomy for gastric cancer patients with a history of abdominal surgery.                                                                                                       | Surg Today                        | 47  |    |         | 1274 | 1281 | 1274-1281 | 2017 |
| Asukai K.    | Kawamoto K., Eguchi H., Konno M., Asai A., Iwagami Y., Yamada D., Asaoka T., Noda T., Wada H., Gotoh K., Nishida N., Satoh T., Doki Y., Mori M., Ishii H.                         | Micro-RNA-130a-3p regulates gemcitabine resistance via PPARγ in cholangiocarcinoma.                                                                                                                                       | Annals of Surgical Oncology       | 24  | 8  | 24(8):  | 2344 | 2352 | 2344-2352 | 2017 |
| Furukawa H.  | Kurokawa Y., Takiguchi S., Tanaka K., Miyazaki Y., Makino T., Takahashi T., Yamasaki M., Nakajima K., Mori M., Doki Y.                                                            | Short-term outcomes and nutritional status after laparoscopic subtotal gastrectomy with a very small remnant stomach for cStage I proximal gastric carcinoma.                                                             | Gastric Cancer                    |     |    |         |      |      |           | 2017 |
| Furukawa H.  | Makino T., Yamasaki M., Tanaka K., Miyazaki Y., Takahashi T., Kurokawa Y., Nakajima K., Takiguchi S., Mori M., Doki Y.                                                            | PRIMA-1 induces p53-mediated apoptosis by upregulating Noxa in esophageal squamous cell carcinoma with TP53 missense mutation.                                                                                            | Cancer Sci                        |     |    |         |      |      |           | 2017 |
| Hata T.      | Takemasa I., Takahashi H., Haraguchi N., Nishimura J., Hata T., Mizushima T., Doki Y., Mori M.,                                                                                   | Downregulation of serum metabolite GTA-446 as a novel potential marker for early detection of colorectal cancer                                                                                                           | British Journal of Cancer         | 117 | 2  | 117(2): | 227  | 232  | 227-232   | 2017 |
| Hata T.      | Mizushima T., Osawa H., Takahashi H., Haraguchi N., Nishimura J., Hata T., Takemasa I., Ikenaga M., Nakajima K., Yamamoto H., Murata K., Doki Y., Mori M.,                        | Short-term outcomes of laparoscopic surgery for Crohn's disease patients treated with anti-tumor necrosis factor alpha agents.                                                                                            | Surgery Today                     | 47  | 3  | 47(3):  | 320  | 327  | 320-327   | 2017 |
| Hata T.      | Mokutani Y., Takahashi H., Inoue A., Munakata K., Nagata K., Haraguchi N., Nishimura J., Hata T., Matsuda C., Murata K., Mizushima T., Doki Y., Mori M., Yamamoto H.,             | Identification of microRNA-487b as a negative regulator of liver metastasis by regulation of KRAS in colorectal cancer.                                                                                                   | International Journal of Oncology | 50  | 2  | 50(2):  | 487  | 496  | 487-496   | 2017 |
| Hata T.      | Kawamoto K., Eguchi H., Kamada Y., Takamatsu S., Maekawa T., Nagaoka S., Yamada D., Iwagami Y., Asaoka T., Noda T., Wada H., Gotoh K., Masamune A., Miyoshi E., Mori M., Doki Y., | Fatty acid-mediated stromal reprogramming of pancreatic stellate cells induces inflammation and fibrosis that fuels pancreatic cancer.                                                                                    | Pancreas                          | 46  | 10 | 46(10): | 1259 | 1266 | 1259-1266 | 2017 |
| Hata T.      | Takahashi H., Sakai D., Haraguchi N., Nishimura J., Kudo T., Matsuda C., Takemasa I., Satoh T., Mizushima T., Doki Y., Mori M.                                                    | Neoadjuvant CapeOx therapy followed by sphincter-preserving surgery for lower rectal cancer                                                                                                                               | Surgery Today                     | 47  | 11 | 47(11): | 1372 | 1377 | 1372-1377 | 2017 |
| Higashi S.   | Nakajima K., Tanaka K., Miyazaki Y., Makino T., Takahashi T., Kurokawa Y., Yamasaki M., Takiguchi S., Mori M., Doki Y.,                                                           | Laparoscopic anterior gastropexy for type III/ IV hiatal hernia in elderly patients.                                                                                                                                      | Surgical Case Report              | 3   | 1  | 3(1):   | 45   |      | 45        | 2017 |
| Kawai K.     | Uemura M., Munakata K., Takahashi H., Haraguchi N., Nishimura J., Hata T., Matsuda C., Ikenaga M., Murata K., Mizushima T., Yamamoto H., Doki Y., Mori M.                         | Fructose-bisphosphate aldolase A is a key regulator of hypoxic adaptation in colorectal cancer cells and involved in treatment resistance and poor prognosis.                                                             | International Journal of Oncology | 50  | 2  | 50(2):  | 525  | 534  | 525-534   | 2017 |

|             |                                                                                                                                                                                                                              |                                                                                                                                                                |                                   |     |    |          |      |      |           |      |
|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|-----|----|----------|------|------|-----------|------|
| Komatsu H.  | Masuda T., Iguchi T., Nambara S., Sato K., Hu Q., Hirata H., Ito S., Eguchi H., Sugimachi K., Doki Y., Mori M., Mimori K.                                                                                                    | Clinical significance of fancd2 gene expression and its association with tumor progression in hepatocellular carcinoma.                                        | Anticancer Research               | 37  | 3  | 37(3):   | 1083 | 1090 | 1083-1090 | 2017 |
| Komatsu H.  | Iguchi T., Masuda T., Hirata H., Ueda M., Kidogami S., Ogawa Y., Sato K., Hu Q., Nambara S., Saito T., Sakimura S., Uchi R., Ito S., Eguchi H., Sugimachi K., Eguchi H., Doki Y., Mori M., Mimori K.                         | Attenuated RND1 expression confers malignant phenotype and predicts poor prognosis in hepatocellular carcinoma.                                                | Annals of Surgical Oncology       | 24  | 3  | 24(3):   | 850  | 859  | 850-859   | 2017 |
| Matsuno H.  | Kayama H., Nishimura J., Sekido Y., Osawa H., Barman S., Ogino T., Takahashi H., Haraguchi N., Hata T., Matsuda C., Yamamoto H., Uchino M., Ikeuchi H., Doki Y., Mori M., Takeda K., Mizushima T.                            | CD103+Dendritic cell function is altered in the colons of patients with ulcerative colitis.                                                                    | Inflammatory Bowel Diseases       | 23  | 9  | 23(9):   | 1524 | 1534 | 1524-1534 | 2017 |
| Miyake Y.   | Mizushima T., Hata T., Takahashi H., Hanada H., Shoji H., Nomura M., Haraguchi N., Nishimura J., Matsuda C., Takemasa I., Doki Y., Maeda I., Mori M., Yamamoto H.                                                            | Inspection of perirectal lymph nodes by One-Step nucleic acid amplification predicts lateral lymph node metastasis in advanced rectal cancer.                  | Annals of Surgical Oncology       | 24  | 13 | 24(13):  | 3850 | 3856 | 3850-3856 | 2017 |
| Miyake Y.   | Nishimura J., Takahashi H., Haraguchi N., Hata T., Takemasa I., Mizushima T., Yamamoto H., Doki Y., Mori M.                                                                                                                  | The short-term outcomes of laparoscopic multivisceral resection for locally advanced colorectal cancer: our experience of 39 cases.                            | Surgery Today                     | 47  | 5  | 47(5):   | 575  | 580  | 575-580   | 2017 |
| Miyake Y.   | Nishimura J., Kato T., Ikeda M., Tsujie M., Hata T., Takemasa I., Mizushima T., Yamamoto H., Sekimoto M., Nezu R., Doki Y., Mori M., Multi-center Clinical Study Group of Osaka., Colorectal Cancer Treatment Group (MCSGO). | Phase III trial comparing UFT + PSK to UFT + LV in stage IIB, III colorectal cancer (MCSGO-CCTG).                                                              | Surg Today                        | 48  | 1  | 48(1):   | 66   | 72   | 66-72     | 2017 |
| Momose K.   | Yamasaki M., Tanaka K., Miyazaki Y., Makino T., Takahashi T., Kurokawa Y., Nakajima K., Takiguchi S., Mori M., Doki Y.                                                                                                       | MLH1 expression predicts the response to preoperative therapy and is associated with PD-L1 expression in esophageal cancer.                                    | Oncology Letters                  | 14  | 1  | 14(1):   | 958  | 964  | 958-964   | 2017 |
| Tomihara H. | Yamada D., Eguchi H., Iwagami Y., Noda T., Asaoka T., Wada H., Kawamoto K., Gotoh K., Takeda Y., Tanemura M., Mori M., Doki Y.                                                                                               | MicroRNA-181b-5p, ETS1, and the c-Met pathway exacerbate the prognosis of pancreatic ductal adenocarcinoma after radiation therapy.                            | Cancer Science                    | 108 | 3  | 108(3):  | 398  | 407  | 398-407   | 2017 |
| Tomihara H. | Eguchi H., Yamada D., Gotoh K., Kawamoto K., Wada H., Asaoka T., Noda T., Takeda Y., Tanemura M., Mori M., Doki Y.                                                                                                           | Preoperative chemoradiotherapy does not compromise the feasibility of adjuvant chemotherapy for patients with pancreatic ductal adenocarcinoma.                | Surgery Today                     | 47  | 2  | 47(2):   | 218  | 226  | 218-226   | 2017 |
| Yamamoto M. | Takahashi T., Serada S., Sugase T., Tanaka K., Miyazaki Y., Makino T., Kurokawa Y., Yamasaki M., Nakajima K., Takiguchi S., Naka T., Mori M., Doki Y.                                                                        | Overexpression of leucine-rich $\alpha$ 2-glycoprotein-1 is a prognostic marker and enhances tumor migration in gastric cancer.                                | Cancer Science                    | 108 | 10 | 108(10): | 2052 | 2060 | 2052-2060 | 2017 |
| Yamamoto M. | Yamasaki M., Tsukao Y., Tanaka K., Miyazaki Y., Makino T., Takahashi T., Kurokawa Y., Nakajima K., Takiguchi S., Mori M., Doki Y.                                                                                            | Poly (ADP-ribose) polymerase-1 inhibition decreases proliferation through G2/M arrest in esophageal squamous cell carcinoma.                                   | Oncology Letters                  | 14  | 2  | 14(2):   | 1581 | 1587 | 1581-1587 | 2017 |
| Yamamoto M. | Yamasaki M., Tanaka K., Miyazaki Y., Makino T., Takahashi T., Kurokawa Y., Nakajima K., Takiguchi S., Mori M., Doki Y.                                                                                                       | New classification for the thoracic paraaortic lymph nodes of patients with esophageal squamous cell carcinoma.                                                | Surgery Today                     | 48  | 2  | 48(2):   | 217  | 222  | 217-222   | 2017 |
| Hyuga S.    | Wada H., Eguchi H., Otsuru T., Iwagami Y., Yamada D., Noda T., Asaoka T., Kawamoto K., Gotoh K., Takeda Y., Tanemura M., Umeshita K., Doki Y., Mori M.                                                                       | Expression of carbonic anhydrase IX is associated with poor prognosis through regulation of the epithelial-mesenchymal transition in hepatocellular carcinoma. | International Journal of Oncology | 51  | 4  | 51(4):   | 1179 | 1190 | 1179-1190 | 2017 |
| Ikeshima R. | Mizushima T., Takahashi H., Haraguchi N., Nishimura J., Hata T., Matsuda C., Ikenaga M., Nakajima K., Yamamoto H., Murata K., Doki Y., Mori M.                                                                               | The efficacy of active drainage for preventing postoperative organ/space surgical site infections in patients with Crohn's disease.                            | Surg Today                        | 48  | 1  | 48(1):   | 25   | 32   | 25-32     | 2017 |
| Makino S.   | Takahashi H., Haraguchi N., Nishimura J., Hata T., Matsuda C., Ikenaga M., Murata K., Yamamoto H., Doki Y., Mori M., Mizushima T.                                                                                            | A single institutional analysis of systemic therapy for unresectable or recurrent small bowel adenocarcinoma.                                                  | Anticancer Research               | 37  | 3  | 37(3):   | 1495 | 1500 | 1495-1500 | 2017 |

|               |                                                                                                                                                                                                                         |                                                                                                                                                                             |                                     |     |    |          |      |      |           |      |
|---------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|-----|----|----------|------|------|-----------|------|
| Nishizawa Y.  | Konno M., Asai A., Koseki J., Kawamoto K., Miyoshi N., Takahashi H., Nishida N., Haraguchi N., Sakai D., Kudo T., Hata T., Matsuda C., Mizushima T., Satoh T., Doki Y., Mori M and Ishii H                              | Hypoxia stimulates the cytoplasmic localization of oncogenic long noncoding RNA LINC00152 in colorectal cancer                                                              | International Journal of Oncology   | 52  | 2  | 52(2):   | 453  | 460  | 453–460   | 2017 |
| Nishizawa Y.  | Nishida N., Konno M., Kawamoto K., Asai A., Koseki J., Takahashi H., Haraguchi N., Nishimura J., Hata T., Matsuda C., Mizushima T., Satoh T., Doki Y., Mori M., Ishii H.                                                | Clinical significance of histone demethylase NO66 in invasive colorectal cancer.                                                                                            | Annals of Surgical Oncology         | 24  | 3  | 24(3):   | 841  | 849  | 841–849   | 2017 |
| Ohara N.      | Haraguchi N., Koseki J., Nishizawa Y., Kawai K., Takahashi H., Nishimura J., Hata T., Mizushima T., Yamamoto H., Ishii H., Doki Y., Mori M.                                                                             | Low expression of the GOPC is a poor prognostic marker in colorectal cancer.                                                                                                | Oncol Letters                       | 14  | 4  | 14(4):   | 4483 | 4490 | 4483–4490 | 2017 |
| Ohara N.      | Mizushima T., Iijima H., Takahashi H., Hiyama S., Haraguchi N., Inoue T., Nishimura J., Shinzaki S., Hata T., Matsuda C., Yamamoto H., Doki Y., Mori M.                                                                 | Adherence to an elemental diet for preventing postoperative recurrence of Crohn's disease.                                                                                  | Surgery Today                       | 47  | 12 | 47(12):  | 1519 | 1525 | 1519–1525 | 2017 |
| Sugase T.     | Takahashi T., Serada S., Nakatsuka R., Fujimoto M., Ohkawara T., Hara H., Nishigaki T., Tanaka K., Miyazaki Y., Makino T., Kurokawa Y., Yamasaki M., Nakajima K., Takiguchi S., Kishimoto T., Mori M., Doki Y., Naka T. | Suppressor of cytokine signaling-1 gene therapy induces potent antitumor effect in patient-derived esophageal squamous cell carcinoma xenograft mice.                       | International Journal of Cancer     | 140 | 11 | 140(11): | 2608 | 2621 | 2608–2621 | 2017 |
| Sugase T.     | Takahashi T., Serada S., Fujimoto M., Hiramatsu K., Ohkawara T., Tanaka K., Miyazaki Y., Makino T., Kurokawa Y., Yamasaki M., Nakajima K., Kishimoto T., Mori M., Doki Y., Naka T.                                      | SOCS1 gene therapy improves radiosensitivity and enhances irradiation-induced DNA damage in esophageal squamous cell carcinoma.                                             | Cancer Res                          | 77  | 24 | 77(24):  | 6975 | 6986 | 6975–6986 | 2017 |
| Taniguchi Y.  | Takahashi T., Nakajima K., Higashi S., Tanaka K., Miyazaki Y., Makino T., Kurokawa Y., Yamasaki M., Takiguchi S., Mori M., Doki Y.                                                                                      | Multiple huge epiphenic esophageal diverticula with motility disease treated with video-assisted thoracoscopic and hand-assisted laparoscopic esophagectomy: a case report. | Surgical Case Reports               | 3   | 1  | 3(1):    | 63   |      | 63        | 2017 |
| Taniguchi Y.  | Kurokawa Y., Mikami J., Tanaka K., Miyazaki Y., Makino T., Takahashi T., Yamasaki M., Nakajima K., Takiguchi S., Mori M., Doki Y.                                                                                       | Amylase concentration in drainage fluid as a predictive factor for severe postoperative pancreatic fistula in patients with gastric cancer.                                 | Surg Today                          | 47  |    | 47       | 1378 | 1383 | 1378–1383 | 2017 |
| Toshiyama R.  | Noda T., Eguchi H., Iwagami Y., Yamada D., Asaoka T., Wada H., Kawamoto K., Gotoh K., Takeda Y., Tanemura M., Morii E., Umeshita K., Mori M., Doki Y.                                                                   | Two cases of resectable pancreatic cancer diagnosed by open surgical biopsy after endoscopic ultrasound fine-needle aspiration failed to yield diagnosis: case reports.     | Surg Case Rep                       | 3   | 1  | 3(1):    |      |      |           | 2017 |
| Fukuda Y.     | Yamada D., Eguchi H., Hata T., Iwagami Y., Noda T., Asaoka T., Kawamoto K., Gotoh K., Kobayashi S., Takeda Y., Tanemura M., Mori M., Doki Y.                                                                            | CT density in the pancreas is a promising imaging predictor for pancreatic ductal adenocarcinoma.                                                                           | Annals of Surgical Oncology         | 24  | 9  | 24(9):   | 2762 | 2769 | 2762–2769 | 2017 |
| Fukuda Y.     | Asaoka T., Maeda S., Hama N., Miyamoto A., Mori M., Doki Y., Nakamori S.                                                                                                                                                | Prognostic impact of nodal statuses in patients with pancreatic ductal adenocarcinoma.                                                                                      | Pancreatolog y                      | 17  | 2  | 17(2):   | 279  | 284  | 279–284   | 2017 |
| Iwamoto K.    | Takahashi H., Haraguchi N., Nishimura J., Hata T., Matsuda C., Yamamoto H., Mizushima T., Doki Y., Mori M.                                                                                                              | Laparoscopic surgery for sigmoid colon cancer after multiple operations including urinary diversion with Indiana pouch: A case report.                                      | Asian Journal of Endoscopic Surgery | 10  | 4  | 10(4):   | 420  | 423  | 420–423   | 2017 |
| Katsuyama S.  | Nakajima K., Kurokawa Y., Takahashi T., Miyazaki Y., Makino T., Yamasaki M., Takiguchi S., Mori M., Doki Y.                                                                                                             | Single-incision laparoscopic intragastric surgery for gastric submucosal tumor located adjacent to esophagogastric junction: report of four cases.                          | J Laparoendosc Adv Surg Tech A      | 28  | 1  | 28(1):   | 78   | 82   | 78–82     | 2017 |
| Matsushita K. | Gotoh K., Eguchi H., Iwagami Y., Yamada D., Asaoka T., Noda T., Wada H., Kawamoto K., Doki Y., Mori M.                                                                                                                  | Agenesis of the left hepatic lobe undergoing laparoscopic hepatectomy for hepatocellular carcinoma: a case report.                                                          | Surg Case Rep                       | 3   | 1  | 3(1):    | 50   |      | 50        | 2017 |

|             |                                                                                                                                                                                              |                                                                                                                                                                                          |                                      |    |    |          |       |       |             |      |
|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|----|----|----------|-------|-------|-------------|------|
| Nomura M.   | Takahashi H, Haraguchi N, Nishimura J, Hata T, Matsuda C, Ikenaga M, Yamamoto H, Murata K, Doki Y, Mori M, Mizushima T.                                                                      | The potential usefulness of the Response Index in positron emission tomography assessing the therapeutic effect of pre-operative chemotherapy for advanced colorectal cancer.            | Cancer Chemotherapy and Pharmacology | 80 | 6  | 80(6):   | 1219  | 1226  | 1219-1226   | 2017 |
| sekido Y.   | Ohigashi S, Takahashi T, Hayashi N, Suzuki K, Hirota S.                                                                                                                                      | Familial gastrointestinal stromal tumor with germline KIT mutations accompanying hereditary breast and ovarian cancer syndrome.                                                          | Anticancer Res                       | 14 | 3  | 14(3):   | 1425  | 1431  | 1425-1431   | 2017 |
| Takeda K    | Matsuda C, Takahashi H, Haraguchi N, Nishimura J, Hata T, Mizushima T, Doki Y, Mori M                                                                                                        | Conversion during laparoscopic anterior resection for rectal cancer with a congenital solitary pelvic kidney: A case report.                                                             | Asian J Endosc Surg                  | 11 | 1  | 11(1):   | 56    | 59    | 56-59       | 2017 |
| Takeda M    | Takeda M, Tokuoka M, Hirose H, Ide Y., Hashimoto Y, Matsuyama J, Yokoyama S, Morimoto T, Fukushima Y, Nomura T, Kodama K., Sasaki Y.                                                         | Short-term outcomes following single-port laparoscopic surgery in elderly patients with colon cancer compared with younger patients.                                                     | Oncol Letters                        | 14 | 2  | 14(2):   | 1595  | 1601  | 1595-1601   | 2017 |
| Urakawa S.  | Sakai D, Miyazaki Y, Kudo T, Katou A, Inagaki C, Tanaka K, Makino T, Takahashi T, Kurokawa Y, Yamasaki M, Nakajima K, Takiguchi S, Satoh T, Mori M, Doki Y.                                  | A case of ramucirumab-related gastrointestinal perforation in gastric cancer with small bowel metastasis.                                                                                | Surg Case Rep                        | 3  | 1  | 3(1):    | 127   |       | 127         | 2017 |
| Hagi T.     | Hosoda Y, Komoto I, Uemoto S, Hjioka S, Taki Y, Nishiyama K, Imamura M.                                                                                                                      | A primary hepatic gastrinoma accompanied by hyperplasia of multi-nodular Brunner's glands.                                                                                               | Surgical Case Reports                | 3  | 1  | 3(1):    | 118   | 118   | 118         | 2017 |
| Ichikawa Y. | Kanazawa A, Dan N, Ishikawa S, Hagi T, Mizojiri T, Tsubakimoto M, Oka H                                                                                                                      | Case of ileal herniation through the foramen of Winslow diagnosed preoperatively by CT and treated with laparoscopic surgery.                                                            | Asian J Endosc Surg                  | 10 | 3  | 10(3):   | 328   | 330   | 328-330     | 2017 |
| Desaki R.   | Sawada G, Okumura H, Ikeda R, Tanabe K, Komatsu H, Mimori K, Mori M, Kita Y, Uchikado Y, Arigami T, Uenosono Y, Owaki T, Ishigami S, Natsugoe S.                                             | As a novel prognostic marker, cysteine/histidine-rich 1 (CYHR1) is a therapeutic target in patients with esophageal squamous cell carcinoma.                                             | Annals of Surgical Oncology          | 24 | 2  | 24(2):   | 586   | 593   | 586-593     | 2017 |
| Egawa H.    | Umeshita K, Uemoto S.                                                                                                                                                                        | Optimal dosage regimen for rituximab in ABO-incompatible living donor liver transplantation.                                                                                             | J Hepatobiliary Pancreat Surg        | 24 | 2  | 24(2):   | 89    | 94    | 89-94       | 2017 |
| Egawa M.    | Yoshida Y, Ogura S, Kurahashi T, Kizu T, Furuta K, Kamada Y, Chatani N, Hamano M, Kiso S, Hikita H, Tatsumi T, Eguchi H, Nagano H, Doki Y, Mori M, Takehara T.                               | Increased expression of forkhead box M1 transcription factor is associated with clinicopathological features and confers a poor prognosis in human hepatocellular carcinoma.             | Hepatology Research                  | 47 | 11 | 47(11):  | 1196  | 1205  | 1196-1205   | 2017 |
| Genda T.    | Ichida T, Sakisaka S, Tanaka E, Mochida S, Ueno Y, Inui A, Egawa H, Umeshita K, Furukawa H, Kawasaki S, Inomata Y.                                                                           | Survival in patients with Child-Pugh class C cirrhosis: analysis of the liver transplant registry in Japan..                                                                             | Hepatol Res                          | 47 | 11 | 47 (11): | 1155  | 1164  | 1155-1164   | 2017 |
| Harada E.   | Serada S, Fujimoto M, Takahashi Y, Takahashi T, Hara H, Nakatsuka R, Sugase T, Nishigaki T, Saito Y, Hiramatsu K, Nojima S, Mitsuo R, Ohkawara T, Morii E, Mori M, Doki Y, Kaneda Y, Naka T. | Glypican-1 targeted antibody-based therapy induces preclinical antitumor activity against esophageal squamous cell carcinoma.                                                            | Oncotarget                           | 8  | 15 | 8(15):   | 24741 | 24752 | 24741-24752 | 2017 |
| Ito S.      | Kai Y, Masuda T, Tanaka F, Matsumoto T, Kamohara Y, Hayakawa H, Ueo H, Iwaguro H, Hedrick M.H, Mimori K, Mori M,                                                                             | Long-term outcome of adipose-derived regenerative cell-enriched autologous fat transplantation for reconstruction after breast-conserving surgery for Japanese women with breast cancer. | Surgery Today                        | 47 | 12 | 47(12):  | 1500  | 1511  | 1500-1511   | 2017 |
| Kanzaki R.  | Inoue M, Kimura T, Kawamura T, Funaki S, Shintani Y, Minami M, Takemasa I, Mizushima T, Mori M, Okumura M,                                                                                   | Role of pulmonary metastasectomy in colorectal cancer in the era of modern multidisciplinary therapy.                                                                                    | Surgery Today                        | 47 | 9  | 47(9):   | 1111  | 1118  | 1111-1118   | 2017 |
| Moon J.H.   | Fujiwara Y., Hirao M, Imamura H, Kimura Y., Fujitani K., Fujita J., Tamura S., Takiguchi S., Yano M., Mori M., Doki Y.                                                                       | Randomized controlled trial of adjuvant chemotherapy with fluoropyrimidines versus surgery-alone for gastric cancer.                                                                     | Anticancer Research                  | 37 | 6  | 37(6):   | 3061  | 3067  | 3061-3067   | 2017 |
| Ota H.      | Ikenaga M, Hasegawa J, Murata K, Miyake Y, Mizushima T, Hata T, Takemasa I, Yamamoto H, Sekimoto M, Nezu R, Doki Y, Mori M.                                                                  | Safety and efficacy of an "enhanced recovery after surgery" protocol for patients undergoing colon cancer surgery: a multi-institutional controlled study.                               | Surgery Today                        | 47 | 6  | 47(6):   | 668   | 675   | 668-675     | 2017 |

|              |                                                                                                                                                                                                                                              |                                                                                                                                                                                                                |                                            |    |    |         |      |      |           |        |
|--------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------|----|----|---------|------|------|-----------|--------|
| Takemoto H.  | Nishimura J., Komori T., Kim H.M., Ota H., Suzuki R., Ikenaga M., Ikeda M., Yamamoto H., Satoh T., Hata T., Takemasa I., Mizushima T., Doki Y., Mori M.                                                                                      | Combination antiemetic therapy with aprepitant/fosaprepitant in patients with colorectal cancer receiving oxaliplatin-based chemotherapy in the SENRI trial: analysis of risk factors for vomiting and nausea. | International Journal of Clinical Oncology | 22 | 1  | 22(1):  | 88   | 95   | 88-95     | 2017   |
| Takeyama H.  | Mizushima T., Uemura M., Haraguchi N., Nishimura J., Hata T., Matsuda C., Takemasa I., Ikenaga M., Murata K., Yamamoto H., Doki Y., Mori M.                                                                                                  | Adipose-derived stem cells ameliorate experimental murine colitis via TSP-1-dependent activation of latent TGF- $\beta$ .                                                                                      | Digestive Diseases and Sciences            | 62 | 8  | 62(8):  | 1963 | 1974 | 1963-1974 | 2017   |
| Tominaga K.  | Shimamura T., Kimura N., Murayama T., Matsubara D., Kanauchi H., Niida A., Shimizu S., Nishioka K., Tsuji E.,-I., Yano M., Sugano S., Shimono Y., Ishii H., Saya H., Mori M., Akashi K., Tada K.,-I., Ogawa T., Tojo A., Miyano S., Gotoh N. | Addition to the IGF2-ID1-IGF2 circuit for maintenance of the breast cancer stem-like cells                                                                                                                     | Oncogene                                   | 36 | 9  | 36(9):  | 1276 | 1286 | 1276-1286 | 2017   |
| Tsunekuni K. | Konno M., Asai A., Koseki J., Kobunai T., Takechi T., Doki Y., Mori M., Ishii H.                                                                                                                                                             | MicroRNA profiles involved in trifluridine resistance.                                                                                                                                                         | Oncotarget                                 | 30 | 11 | 30(11): | 1    | 8    | 1-8       | 2017   |
| Haraguchi N. | Ohara N., Koseki J., Takahashi H., Nishimura J., Hata T., Mizushima T., Yamamoto H., Ishii H., Doki Y., Mori M.                                                                                                                              | High expression of ADAMTS5 is a potent marker for lymphatic invasion and lymph node metastasis in colorectal cancer.                                                                                           | Mol Clin Oncol.                            | 6  | 1  | 6(1)    | 130  | 134  | 130-134   | 2017.1 |