

| 筆頭著者 | 共同著者 | 演題名 | 雑誌名 | 巻 | 号 | 巻号 | 始頁 | 終頁 | 頁 | 発行月 | 発行年 |
|--------------|--|--|-------------------------|-----|----|----------|------|------|-----------|-----|------|
| Umeshita K. | Eguchi S., Egawa H., Haga H., Kasahara M., Kokudo N., Sakisaka S., Takada Y., Tanaka E., Eguchi H., Uemoto S., Ohdan H. | Liver transplantation in Japan – registry by the Japanese Liver Transplantation Society. | Hepatol Res | 49 | 9 | (49)9: | 964 | 980 | 964–980 | | 2019 |
| Iwahori K. | Shintani Y., Funaki S., Yamamoto Y., Matsumoto M., Yoshida T., Morimoto-Okazawa A., Kawashima A., Sato E., Gottschalk S., Okumura M., Kumanogoh A., Wada H. | Peripheral T cell cytotoxicity predicts T cell function in the tumor microenvironment. | Sci Rep. | 9 | 1 | 9(1): | 2636 | 2636 | 2636 | 2 | 2019 |
| Kawashima A. | Kanazawa T., Jingushi K., Kato T., Ujike T., Nagahara A., Fujita K., Morimoto-Okazawa A., Iwahori K., Uemura M., Imamura R., Wada H., Nonomura N. | Phenotypic Analysis of Tumor Tissue-Infiltrating Lymphocytes in Tumor Microenvironment of Bladder Cancer and Upper Urinary Tract Carcinoma. | Clin Genitourin Cancer. | 17 | 2 | 17(2): | 114 | 124 | 114–124 | 4 | 2019 |
| Eguchi H. | Takeda Y., Takahashi H., Nakahira S., Kashiwazaki M., Shimizu J., Sakai D., Isohashi F., Nagano H., Mori M., Doki Y. | A prospective, open-label, multicenter phase 2 trial of neoadjuvant therapy using full-dose gemcitabine and S-1 concurrent with radiation for resectable pancreatic ductal adenocarcinoma. | Ann Surg Oncol | 26 | 13 | 26(13): | 4498 | 4505 | 4498–4505 | 12 | 2019 |
| Eguchi H. | Kawamoto K., Tsujie M., Yukawa M., Kubota M., Asaoka T., Takeda Y., Noda T., Shimizu J., Nagano H., Doki Y., Mori M. | A prospective, multi-center phase I study of postoperative enoxaparin treatment in patients undergoing curative hepatobiliary-pancreatic surgery for malignancies. | Dig Surg | 37 | 1 | 37(1): | 81 | 86 | 81–86 | 6 | 2020 |
| Mizushima T. | Ikeda M., Kato T., Ikeda A., Nishimura J., Hata T., Matsuda C., Satoh T., Mori M., Doki Y. | Postoperative XELOX therapy for patients with curatively resected high-risk stage II and stage III rectal cancer without preoperative chemoradiation: a prospective, multicenter, open-label, single-arm phase II study. | BMC Cancer | 19 | 1 | 19(1): | 929 | | 929 | 9 | 2019 |
| Marubashi S. | Ichihara N., Kakeji N., Miyata H., Taketomi A., Egawa H., Takada Y., Umeshita K., Seto Y., Gotoh M. | “Real-time” risk models of postoperative morbidity and mortality for liver transplants. | Ann Gastroenterol Surg | 3 | 1 | (3)1: | 75 | 95 | 75–95 | | 2019 |
| Kobayashi S. | Nagano H., Tomokuni A., Gotoh K., Sakai D., Hatano E., Seo S., Terajima H., Uchida Y., Ajiki T., Satake H., Kamei K., Tohyama T., Hirose T., Ikai I., Morita S., Ioka T.; Kansai Hepato-Biliary Oncology (KHBO) Group. | A Prospective, Randomized Phase II Study of Adjuvant Gemcitabine Versus S-1 After Major Hepatectomy for Biliary Tract Cancer (KHBO 1208): Kansai Hepato-Biliary Oncology Group. | Ann Surg | 270 | 2 | 270(2): | 230 | 237 | 230–237 | 8 | 2019 |
| Yamasaki M. | Maekawa Y., Sugimoto K., Mizushima T., Eguchi H., Ogihara T., Shintani A., Rakugi H., Mori M., Doki Y. | Development of a Geriatric Prognostic Scoring System for Predicting Survival After Surgery for Elderly Patients With Gastrointestinal Cancer | Ann Surg Oncol | 26 | 11 | 26(4): | 3644 | 3651 | 3644–3651 | 10 | 2019 |
| Yamasaki M. | Yamashita K., Saito T., Tanaka K., Makino T., Miyazaki Y., Takahashi T., Kurokawa Y., Nakajima K., Motoori M., Kimura Y., Mori M., Doki Y. | Tracheal resection and anterior mediastinal tracheostomy in the multidisciplinary treatment of esophageal cancer with tracheal invasion | Disease of Esophagus | | | 15;33(5) | | | | 5 | 2020 |
| Hata T. | Ikeda M., Miyata H., Nomura M., Gotoh M., Sakon M., Yamamoto K., Wakabayashi G., Seto Y., Mori M., Doki Y. | Frequency and risk factors for venous thromboembolism after gastroenterological surgery based on the Japanese National Clinical Database (5167□217 cases). | Ann Gastroenterol Surg | 3 | 5 | 3(5): | 534 | 543 | 534–543 | 7 | 2019 |
| Hata T. | Yasui M., Ikeda M., Miyake M., Ide Y., Okuyama M., Ikenaga M., Kitani K., Morita S., Matsuda C., Mizushima T., Yamamoto H., Murata K., Sekimoto M., Nezu R., Mori M., Doki Y. | Efficacy and safety of anticoagulant prophylaxis for prevention of postoperative venous thromboembolism in Japanese patients undergoing laparoscopic colorectal cancer surgery. | Ann Gastroenterol Surg | 3 | 5 | 3(5): | 568 | 575 | 568–575 | 7 | 2019 |

| | | | | | | | | | | | |
|--------------|--|---|------------------------------|-----|----|----------|-------|------|-----------|----|------|
| Kurokawa Y. | Takeuchi H., Doki Y., Mine S., Terashima M., Yasuda T., Yoshida K., Daiko H., Sakuramoto S., Yoshikawa T., Kunisaki C., Seto Y., Tamura S., Shimokawa T., Sano T., Kitagawa Y. | Mapping of lymph node metastasis from esophagogastric junction tumors: A prospective nationwide multicenter study. | Ann Surg. | | | | 120 | 127 | 120–127 | 8 | 2019 |
| Nishida N. | Yamsaki M., Odagiri K., Yamashita K., Tanaka K., Sakai D., Makino T., Takahashi T., Kurokawa Y., Satoh T., Mori M., Doki Y. | Combination Therapy With S-1, Oxaliplatin and Leucovorin in Patients With Advanced Esophageal Squamous Cell Carcinoma. | In Vivo | 33 | 6 | 33(6): | 2249 | 2254 | 2249–2254 | 12 | 2019 |
| Akita H. | Takahashi H., Asukai K., Tomokuni A., Wada H., Marukawa S., Yamasaki T., Yanagimoto Y., Takahashi Y., Sugimura K., Yamamoto K., Nishimura J., Yasui M., Omori T., Miyata H., Yano M., Sakon M. | The utility of nutritional supportive care with an eicosapentaenoic acid(EPA)-enriched nutrition agent during pre-operative chemoradiotherapy for pancreatic cancer: Prospective randomized control study | Clin Nutr ESPEN | | | | 148 | 153 | 148–153 | 10 | 2019 |
| Makino T. | Yamasaki M., Tanaka K., Masuike Y., Tatsumi M., Motoori M., Kimura Y., Hatazawa J., Mori M., Doki Y. | Metabolic Tumor Volume Change Predicts Long-term Survival and Histological Response to Preoperative Chemotherapy in Locally Advanced Esophageal Cancer. | Ann Surg | 270 | 6 | (270): 6 | 1090 | 1095 | 1090–1095 | 12 | 2019 |
| Makino T. | Yamasaki M., Tanaka K., Miyazaki Y., Takahashi T., Kurokawa Y., Motoori M., Kimura Y., Nakajima K., Mori M., Doki Y. | Treatment and clinical outcome of clinical T4 esophageal cancer: A systematic review. | Ann Gastroenter Surg. | 3 | 2 | (3):2 | 169 | 180 | 169–180 | 3 | 2019 |
| Kagawa Y. | Yamada D., Yamasaki M., Miyamoto A., Mizushima T., Yamabe K., Imazato M., Fukunaga H., Kobayashi S., Shimizu J., Umeshita K., Ito T., Doki Y., Mori M. | The association between the increased performance of laparoscopic colon surgery and a reduced risk of surgical site infection. | Surg Today | 49 | 6 | 49(6): | 474 | 481 | 474–481 | 6 | 2019 |
| Wada Y. | Miyoshi N., Fujino S., Ohue M., Yasui M., Takahashi Y., Takahashi H., Nishimura J., Takenaka Y., Saso K., Tomokuni A., Sugimura K., Akita H., Takahashi H., Kobayashi S., Omori T., Miyata H., Yano M. | New marking method involving a light-emitting diode and power source device to localize gastrointestinal cancer in laparoscopic surgery | Sci Rep | 9 | 1 | 9(1): | 5485 | 5485 | 5485 | 4 | 2019 |
| Miyoshi N. | Miyoshi N., Mizushima T., Doki Y., Mori M. | Biomarkers of cancer stem cells in cancer therapy | Biomarkers in Cancer Therapy | | | | 51 | 59 | 51–59 | 7 | 2019 |
| Miyoshi N. | Miyoshi N., Mizushima T., Doki Y., Mori M. | Cancer stem cells in relation to treatments | Jpn J Clin Oncol | 49 | 3 | 49(3): | 232 | 237 | 232–237 | 3 | 2019 |
| Tomimaru Y. | Eguchi H., Wada H., Doki Y., Mori M., Nagano H.. | Surgical Outcomes of Liver Resection Combined with Inferior Vena Cava Resection and Reconstruction with Artificial Vascular Graft. | Dig Surg | 36 | 6 | 36(6): | 502 | 508 | 502–508 | 1 | 2019 |
| Tomimaru Y. | Aihara A., Wands JR., Aloman C., Kim M. | A novel drug, CC-122, inhibits tumor growth in hepatocellular carcinoma through downregulation of an oncogenic TCF-4 isoform | Transl Oncol | 12 | 10 | 12(10): | 1345 | 1356 | 1345–1356 | 10 | 2019 |
| Miyazaki Y. | Takiguchi S., Kurokawa Y., Takahashi T., Fukuda Y., Yamasaki M., Makino T., Tanaka K., Motoori M., Kimura Y., Nakajima K., Mori M., Doki Y. | Endoscopy-assisted laparoscopic submucosal dissection for a duodenal epithelial tumor. | Asian J Endosc Surg | 12 | 4 | 12(4): | 461 | 464 | 461–464 | 10 | 2019 |
| Ogino T. | Hata T., Kawada J., Okano M., Kim Y., Okuyama M., Tsujinaka T. | The Risk Factor of Anastomotic Hypoperfusion in Colorectal Surgery | Journal of Surgical Research | 244 | | 244 | 265 | 271 | 265–271 | 12 | 2019 |
| Tsunekuni K. | Konno M., Haraguchi N., Koseki J., Asai A., Matsuoka K., Kobunai T., Takechi T., Doki Y., Mori M., Ishii H. | CD44/CD133-Positive Colorectal Cancer Stem Cells are Sensitive to Trifluridine Exposure. | Sci Rep | 9 | 1 | 9(1): | 14861 | | 14861 | 10 | 2019 |

| | | | | | | | | | | | |
|--------------|---|---|-----------------------------|-----|----|---------|------|------|------------------------|----|------|
| Sueda T. | Murata K., Takeda T., Kagawa Y., Hasegawa J., Komori T., Noura S., Ikeda K., Tsujie M., Ohue M., Ota H., Ikenaga M., Hata T., Matsuda C., Mizushima T., Yamamoto H., Sekimoto M., Nezu R., Mori M., Doki Y. | Survival outcomes of appendiceal mucinous neoplasms by histological type and stage: Analysis of 266 cases in a multicenter collaborative retrospective clinical study. | Ann Gastroenterol Surg | 3 | 3 | 3(3): | 291 | 300 | 291–300 | 2 | 2019 |
| Fujino S. | Ito A., Ohue M., Yasui M., Mizushima T., Doki Y., Mori M., Miyoshi N. | Phenotypic heterogeneity of 2D organoid reflects clinical tumor characteristics | BBRC | 513 | 2 | 513(2): | 332 | 339 | 332–339 | 5 | 2019 |
| Fujino S. | Miyoshi N. | Oct4 gene expression in primary colorectal cancer promotes liver metastasis | Stem Cells Int | | | | | | Article 7896524 (Epub) | 5 | 2019 |
| Fujino S. | Myoshi N., Saso K., Sasaki M., Ishikawa S., Takahashi Y., Yasui M., Ohue M., Hata T., Matsuda C., Mizushima T., Mori M., Doki Y. | The inflammation–nutrition score supports the prognostic prediction of the TNM stage for colorectal cancer patients after curative resection. | Surg Today | 50 | 2 | 50(2): | 163 | 170 | 163–170 | 8 | 2019 |
| Kanemura T. | Miyata H., Yamasaki M., Makino T., Miyazaki Y., Takahashi T., Kurokawa Y., Takiguchi S., Mori M., Doki Y. | Usefulness of intraoperative nerve monitoring in esophageal cancer surgery in predicting recurrent laryngeal nerve palsy and its severity. | Gen Thorac Cardiovasc Surg. | 67 | 12 | 67(12): | 1075 | 1080 | 1075–1080 | 12 | 2019 |
| Matsuura Y. | Wada H., Eguchi H., Gotoh K., Kobayashi S., Kinoshita M., Kubo M., Hayashi K., Iwagami Y., Yamada D., Asaoka T., Noda T., Kawamoto K., Takeda Y., Tanemura M., Umeshita K., Doki Y., Mori M. | Exosomal miR-155 Derived from Hepatocellular Carcinoma Cells Under Hypoxia Promotes Angiogenesis in Endothelial Cells. | Dig Dis Sci | 64 | 3 | 64(3): | 792 | 802 | 792–802 | 3 | 2019 |
| Hara T. | Makino T., Yamasaki M., Tanaka K., Miyazaki Y., Takahashi T., Kurokawa Y., Nakajima K., Matsuura N., Mori M., Doki Y. | Effect of c-Met and CD44v6 Expression in Resistance to Chemotherapy in Esophageal Squamous Cell Carcinoma. | Ann Surg Oncol | 26 | 3 | 26(3): | 899 | 906 | 899–906 | 3 | 2019 |
| Kinoshita M. | Asaoka T., Eguchi H., Hanaki T., Iwagami Y., Akita H., Noda T., Gotoh K., Kobayashi S., Mori M., Doki Y. | A case of intraductal papillary neoplasm of the bile duct that developed 38 years after choledochojunostomy with invasive adenocarcinoma and lymph node metastasis. | Surgical Case Reports | 5 | 1 | 5(1): | 93 | | | 6 | 2019 |
| Otsuru T. | Kobayashi S., Wada H., Takahashi T., Gotoh K., Iwagami Y., Yamada D., Noda T., Asaoka T., Serada S., Fujimoto M., Eguchi H., Mori M., Doki Y., Naka T. | Epithelial–mesenchymal transition via transforming growth factor beta in pancreatic cancer is potentiated by the inflammatory glycoprotein leucine-rich alpha-2 glycoprotein. | Cancer Sci | 110 | 3 | 110(3): | 985 | 996 | 985–996 | 3 | 2019 |
| Toshiyama R. | Konno M., Eguchi H., Takemoto H., Noda T., Asai A., Koseki J., Haraguchi N., Ueda Y., Matsushita K., Asukai K., Ohashi T., Iwagami Y., Yamada D., Sakai D., Asaoka T., Kudo T., Kawamoto K., Gotoh K., Kobayashi S., Satoh T., Doki Y., Nishiyama N., Mori M., Ishii H. | Poly(ethylene glycol)–poly(lysine) block copolymer–ubenimex conjugate targets aminopeptidase N and exerts an antitumor effect in hepatocellular carcinoma stem cells. | Oncogene | 38 | 2 | 38(2): | 244 | 260 | 244–260 | 1 | 2019 |
| Ushimaru Y. | Nakajima K., Takahashi T., Yamasaki M., Mori M., Doki Y. | Occult hiatal hernia in achalasia patients: Its incidence and treatment options. | Dig Surg. | 36 | 5 | 36(5): | 418 | 425 | 418–425 | | 2019 |
| Ushimaru Y. | Takahashi T., Souma Y., Yanagimoto Y., Nagase H., Tanaka K., Miyazaki Y., Makino T., Kurokawa Y., Yamasaki M., Mori M., Doki Y., Nakajima K. | Innovation in surgery/operating room driven by Internet of Things on medical devices | Surg Endosc. | 33 | 10 | 33(10): | 3469 | 3477 | 3469–3477 | 10 | 2019 |
| Fukuda Y. | Asaoka T., Eguchi H., Honma K., Morii E., Iwagami Y., Akita H., Noda T., Gotoh K., Kobayashi S., Mori M., Doki Y. | Laparoscopy–assisted extended right hepatectomy for giant hemorrhagic hepatic cyst mimicking biliary cystadenocarcinoma: a case report. | Surg Case Rep | 5 | 1 | 5(1): | 58 | | | 4 | 2019 |
| Hara T. | Makino T., Yamasaki M., Tanaka K., Miyazaki Y., Takahashi T., Kurokawa Y., Nakajima K., Matsuura N., Mori M. and Doki Y. | Effect of c-Met and CD44v6 expression in resistance to chemotherapy in esophageal squamous cell carcinoma | Ann Surg Oncol. | 26 | 3 | 26(3): | 899 | 906 | 899–906 | 3 | 2019 |
| Hashimoto T. | Kurokawa Y., Takahashi T., Miyazaki Y., Tanaka K., Makino T., Yamasaki M., Nakajima K., Ikeda J., Mori M., Doki Y. | Predictive value of MLH1 and PD-L1 expression for prognosis and response to preoperative chemotherapy in gastric cancer | Gastric Cancer | 22 | 4 | 22(4): | 785 | 792 | 785–792 | 7 | 2019 |

| | | | | | | | | | | | |
|---------------|--|---|----------------------------|-----|----|----------|------|------|-----------|----|------|
| Hashimoto T. | Makino T., Yamasaki M., Tanaka K., Miyazaki Y., Takahashi T., Kurokawa Y., Motoori M., Kimura Y., Nakajima K., Morii E., Mori M., Doki Y. | The pattern of residual tumor after neoadjuvant chemotherapy for locally advanced esophageal cancer and its clinical significance. | Annals of Surgery. | 271 | 5 | :271(5). | 875 | 884 | :875–884 | 5 | 2020 |
| Hashimoto T. | Kurokawa Y., Takahashi T., Saito T., Yamashita K., Tanaka K., Makino T., Yamasaki M., Motoori M., Kimura Y., Nakajima K., Mori M., Doki Y. | What is the most useful body composition parameter for predicting toxicities of preoperative chemotherapy for gastric cancer? | Surg Today. | | | | 509 | 515 | 509–515 | 11 | 2019 |
| Hashimoto T. | Makino T., Yamasaki M., Tanaka K., Miyazaki Y., Takahashi T., Kurokawa Y., Motoori M., Kimura Y., Nakajima K., Morii E., Mori M., Doki Y. | Clinicopathological characteristics and survival of primary malignant melanoma of the esophagus | Oncol Lett. | 18 | 2 | 18(2): | 1872 | 1880 | 1872–1880 | 8 | 2019 |
| Hashimoto T. | Kurokawa Y., Mikami J., Takahashi T., Miyazaki Y., Tanaka K., Makino T., Yamasaki M., Motoori M., Kimura Y., Nakajima K., Mori M., Doki Y. | Postoperative long-term outcomes in elderly patients with gastric cancer and risk factors for death from other diseases. | World J Surg. | 43 | 11 | :43(11) | 2885 | 2893 | 2885–2893 | 11 | 2019 |
| Inagaki C. | Maeda D., Kimura A., Otsuru T., Iwagami Y., Nishida N., Sakai D., Shitotsuki R., Yachida S., Doki Y., Satoh T. | Gallbladder cancer harboring ERBB2 mutation on the primary and metastatic site: A case report. | World J Gastrointest Oncol | 11 | 9 | :11(9): | 761 | 767 | 761–767 | 9 | 2019 |
| Iwamoto K. | Takahashi H., Fujii M., Haraguchi N., Hata T., Matsuda C., Yamamoto H., Mizushima T., Mori M., Doki Y. | Safety of Single-Site Laparoscopic Surgery Requiring Perioperative Heparinization in Colorectal Cancer: Propensity Score-Matched Analysis | Ann Surg Oncol | 26 | 13 | :26(13) | 4390 | 4396 | 4390–4396 | 12 | 2019 |
| Kato R. | Makino T., Yamasaki M., Tanaka K., Miyazaki Y., Takahashi T., Kurokawa Y., Motoori M., Kimura Y., Nakajima K., Mori M., Doki Y. | Risk factors associated with increased drainage volumes of chest tubes after transthoracic esophagectomy for esophageal cancer. | Surg Today | 49 | 12 | :49(12) | 1058 | 1065 | 1058–1065 | 12 | 2019 |
| Kato R. | Nakajima K., Takahashi T., Tanaka K., Miyazaki Y., Makino T., Kurokawa Y., Yamasaki M., Mori M., Doki Y. | Validation of new Japanese classification system for esophageal achalasia. | Esophagus | 16 | 3 | :16(3): | 252 | 257 | 252–257 | 7 | 2019 |
| Matsushita K. | Okuda T., Mori S., Konno M., Eguchi H., Asai A., Koseki J., Iwagami Y., Yamada D., Akita H., Asaoka T., Noda T., Kawamoto K., Gotoh K., Kobayashi S., Kasahara Y., Morihiro K., Satoh T., Doki Y., Mori M., Ishii H., Obika S. | A Hydrogen Peroxide Activatable Gemcitabine Prodrug for the Selective Treatment of Pancreatic Ductal Adenocarcinoma. | ChemMed Chem. | 14 | 15 | :14(15) | 1384 | 1391 | 1384–1391 | 8 | 2019 |
| Nomura M. | Takahashi H., Fujii M., Miyoshi N., Haraguchi N., Hata T., Matsuda C., Yamamoto H., Mizushima T., Mori M., Doki Y. | Clinical significance of invasion distance relative to prognosis in pathological T3 colorectal cancer | Oncol Lett | 18 | 5 | :18(5): | 5614 | 5620 | 5614–5620 | 9 | 2019 |
| Okumura Y. | Noda T., Eguchi H., Hanaki T., Iwagami Y., Akita H., Asaoka T., Gotoh K., Kobayashi S., Umeshita K., Mori M., Doki Y. | Pure laparoscopic liver resection for giant liver hemangioma with extrahepatic growth based on preoperative 3-dimensional simulation: A case report. | Surg Case Rep | 5 | 1 | :5(1): | 51 | | | 4 | 2019 |
| Sekido Y. | Yasumizu Y., Nishimura J., Kayama H., Matsuno H., Ogino T., Miyoshi N., Takahashi H., Haraguchi N., Hata T., Matsuda C., Doki Y., Mori M., Takeda K., Ohkura N., Sakaguchi S., Mizushima T. | Innate Myeloid Cell Subset-Specific Gene Expression Patterns in the Human Colon are Altered in Crohn's Disease Patients. | Digestion | 99 | 3 | :99(3): | 194 | 204 | 194–204 | | 2019 |
| Sekido Y. | Nishimura J., Fujino S., Ogino T., Miyoshi N., Takahashi H., Uemura M., Haraguchi N., Hata T., Matsuda C., Mizushima T., Murata K., Hasegawa J., Mori M., Doki Y. | Predicting lateral pelvic lymph node metastasis based on magnetic resonance imaging before and after neoadjuvant chemotherapy for patients with locally advanced lower rectal cancer. | Surg Today | 50 | | | 292 | 297 | 292–297 | 3 | 2020 |
| Shinke G. | Yamada D., Eguchi H., Iwagami Y., Akita H., Asaoka T., Noda T., Gotoh K., Kobayashi S., Takeda Y., Tanemura M., Doki Y., Mori M. | The postoperative peak number of leukocytes after hepatectomy is a significant prognostic factor for cholangiocarcinoma. | Mol Clin Oncol | 10 | 5 | :10(5): | 531 | 540 | 531–540 | 5 | 2019 |

| | | | | | | | | | | | |
|---------------|---|--|-------------------------------------|-----|----|---------|------|------|--|----|------|
| Takeda M. | Haraguchi N., Koseki J., Takahashi H., Miyoshi N., Nishida N., Nishimura J., Hata T., Matsuda C., Mizushima T., Yamamoto H., Ishii H., Doki Y., Mori M. | Disruption of endolysosomal RAB5/7 efficiently eliminates colorectal cancer stem cells. | Cancer Res. | 79 | 7 | 79(7): | 1426 | 1437 | 1426–1437 | 2 | 2019 |
| Takeda M. | Takahashi H., Haraguchi N., Miyoshi N., Hata T., Yamamoto H., Matsuda C., Mizushima T., Doki Y., Mori M. | Factors predictive of high-output ileostomy: a retrospective single-center comparative study. | Surg Today | 49 | 6 | 49(6): | 482 | 487 | 482–487 | 6 | 2019 |
| Taniguchi Y. | Kurokawa Y., Hagi T., Takahashi T., Miyazaki Y., Tanaka K., Makino T., Yamasaki M., Nakajima K., Mori M., Doki Y. | Methylprednisolone Inhibits Tumor Growth and Peritoneal Seeding Induced by Surgical Stress and Postoperative Complications. | Ann Surg Oncol. | 26 | 9 | 26(9): | 2831 | 2838 | 2831–2838 | 9 | 2019 |
| Urakawa S. | Yamasaki M., Goto K., Haruna M., Hirata M., Morimoto-Okazawa A., Kawashima A., Iwahori K., Makino T., Kurokawa Y., Yamada T., Mori M., Doki Y., Wada H. | Peri-operative monocyte count is a marker of poor prognosis in gastric cancer: increased monocytes are a characteristic of myeloid-derived suppressor cells. | Cancer Immunol Immunother. | 68 | 8 | 68(8): | 1341 | 1350 | 1341–1350 | 8 | 2019 |
| Urakawa S. | Makino T., Yamasaki M., Tanaka K., Miyazaki Y., Takahashi T., Kurokawa Y., Motoori M., Kimura Y., Nakajima K., Mori M., Doki | Lymph node response to neoadjuvant chemotherapy as an independent prognostic factor in metastatic esophageal cancer. | Ann Surg. | | | | 1141 | 1149 | 1141–1149 | 7 | 2019 |
| Fukuda Y. | Asaoka T., Eguchi H., Yokota Y., Kubo M., Kinoshita M., Urakawa S., Iwagami Y., Tomimaru Y., Akita H., Noda T., Gotoh K., Kobayashi S., Hirata M., Wada H., Mori M., Doki Y | Endogenous CXCL9 affects prognosis by regulating tumor-infiltrating NK cells in intrahepatic cholangiocarcinoma. | Cancer Sci | 111 | 2 | 111(2): | 323 | 333 | 323–333 | 12 | 2019 |
| Gakuhabara A. | Miyazaki Y., Kurokawa Y., Takahashi T., Yamasaki M., Makino T., Tanaka K., Nakajima K., Mori M., Doki Y. | Performing laparoscopic sleeve gastrectomy in an obese patient with systemic lupus erythematosus undergoing long-term steroid therapy: a case report. | Surg Case Rep. | 5 | 1 | 5(1): | 161 | | | 10 | 2019 |
| Hagi T. | Kurokawa Y., Takahashi T., Saito T., Yamashita K., Tanaka K., Makino T., Yamasaki M., Nakajima K., Mori M., Doki Y. | Molecular barcode sequencing for highly sensitive detection of circulating tumor DNA in patients with esophageal squamous cell carcinoma | Oncology | 98 | 4 | | 222 | 229 | 222–229 | | 2020 |
| Hagi T. | Makino T., Yamasaki M., Tanaka K., Nishida N., Sakai D., Motoori M., Kimura Y., Satoh T., Mori M., Doki Y. | Dysphagia score as a predictor of adverse events due to triplet chemotherapy and oncological outcomes in 434 consecutive patients with esophageal cancer. | Ann Surg Oncol. | 26 | 13 | 26(14): | 4754 | 4765 | 4754–4765 | 12 | 2019 |
| Hokonohara K. | Nishida N., Miyoshi N., Takahashi H., Haraguchi N., Hata T., Matsuda C., Mizushima T., Doki Y., Mori M. | Involvement of MAF1 homolog, negative regulator of RNA polymerase III in colorectal cancer progression | Int J Oncol | 54 | 3 | 54(3): | 1001 | 1009 | 1001–1009 | 1 | 2019 |
| Ichihara M. | Uemura M., Ikeda M., Miyake M., Kato T., Hamakawa T., Maeda S., Hama N., Nishiwaka K., Miyamoto A., Miyazaki M., Hirao M., Sekimoto M. | Safety and Feasibility of Laparoscopic Pelvic Exenteration for Locally Advanced or Recurrent Colorectal Cancer. | Surg Laparosc Endosc Percutan Tech. | 29 | 5 | 29(5): | 389 | 392 | 389–392 | 10 | 2019 |
| Ichihara M. | Ikeda M., Uemura M., Miyake M., Miyazaki M., Kato T., Sekimoto M. | Feasibility and Safety of Laparoscopic Lateral Pelvic Lymph Node Dissection for Locally Recurrent Rectal Cancer and Risk Factors for Re-Recurrence | Asian J Endosc Surg | | | | | | doi: 10.1111/as.es.12778 (Epub ahead of print) | 12 | 2019 |
| Ikeda A. | Miyoshi N., Fujino S., Iijima H., Takahashi H., Haraguchi N., Nishimura J., Hata T., Matsuda C., Doki Y., Mori M., Mizushima T. | A novel predictive nomogram for early endoscopic recurrence after intestinal resection for Crohn's disease | Digestion | 100 | 4 | 100(4): | 269 | 276 | 269–279 | 1 | 2019 |
| Katsuyama S. | Miyazaki Y., Kobayashi S., Nakagawa Y., Yamamoto K., Tanaka K., Makino T., Takahashi T., Kurokawa Y., Yamasaki M., Mori M., Doki Y., Nakajima K. | Novel, infection-free, advanced hemostatic material: physical properties and preclinical efficacy. | Minim Invasive Ther Allied Technol. | 29 | 5 | 29(5): | 283 | 292 | 283–292. | 10 | 2020 |

| | | | | | | | | | | | |
|--------------|--|---|---------------------------------------|-----|----|---------|------|------|-----------|----|------|
| Matsumoto K. | Takehiro Noda., Hidetoshi Eguchi., Yoshifumi Iwagami., Hirofumi Akit., Tadafumi Asaoka., Kunihito Gotoh., Shogo Kobayashi., Shigeru Marubashi., Koji Umeshita., Masaki Mori., Yuichiro Doki. | Atrophy of the Rectus Abdominis After Left-Side Donor Hepatectomy: Comparison of Upper Abdominal Midline vs Mercedes Incision. | TRANSPLANTATION PROCEEDINGS | 51 | 5 | 51(5): | 1496 | 1501 | 1496–1501 | 6 | 2019 |
| Morimoto Y. | Morimoto Y., Takahashi H., Fujii M., Miyoshi N., Uemura M., Matsuda C., Yamamoto H., Mizushima T., Mori M., Doki Y. | Visceral obesity is a preoperative risk factor for postoperative ileus after surgery for colorectal cancer: Single -institution retrospective analysis | Annals of Gastroenterological Surgery | 3 | 6 | 3(6): | 657 | 666 | 657–666 | 11 | 2019 |
| Takeda T. | Haraguchi N., Yamaguchi A., Uemura M., Miyake M., Miyazaki M., Ikeda M., Sekimoto M. | Laparoscopic sigmoidectomy in a case of sigmoid colon cancer with situs inversus totalis | Asian J Endosc Surg | 12 | 1 | 12(1): | 111 | 113 | 111–113 | 1 | 2019 |
| Ueda Y. | Kawamoto K., Konno M., Noguchi K., Kaifuchi S., Satoh T., Eguchi H., Doki Y., Hirotsu T., Mori M., Ishii H. | Application of <i>C. elegans</i> cancer screening test for the detection of pancreatic tumor in genetically engineered mice. | Oncotarget | 10 | 52 | 10(52): | 5412 | 5418 | 5412–5418 | 9 | 2019 |
| Kobayashi T. | Makino T., Yamasaki M., Tanaka K., Mori M., Doki Y | Successful stenting followed by surgery for perforated esophageal cancer due to chemotherapy. | Ann Thorac Surg. | 108 | 6 | 108(6): | 361 | 363 | 361–363 | 12 | 2019 |
| Sasaki M. | Sasaki M., Miyoshi N., Fujino S., Ishikawa S., Saso K., Takahashi H., Haraguchi N., Hata T., Matsuda C., Mizushima T., Doki Y., Mori M. | Development of Novel Prognostic Prediction Models including the Prognostic Nutritional Index for Patients with Colorectal Cancer after Curative Resection | Journal of the Anus, Rectum and Colon | 3 | 3 | 3(3): | 106 | 115 | 106–115 | 7 | 2019 |
| Tokuyama S. | Tokuyama S., Takahashi H., Miyoshi N., Haraguchi N., Hata T., Matsuda C., Yamamoto H.1, Mizushima T., Mori M., Doki Y. | A rare case of pelvic bronchogenic cyst treated by laparoscopic surgery | Asian J Endosc Surg | 13 | 2 | 13(2): | 227 | 230 | 227–230 | 4 | 2020 |
| Watanabe Y. | Miyoshi N., Fujino S., Takahashi H., Haraguchi N., Hata T., Matsuda C., Yamamoto H., Doki Y., Mori M., Mizushima T. | Cumulative Inflammation Could Be a Risk Factor for Intestinal Failure in Crohn's Disease | Dig Dis Sci | 64 | 8 | 64(8): | 2280 | 2285 | 2280–2285 | 8 | 2019 |
| Ishida T. | Makino T., Yamasaki M., Tanaka K., Miyazaki Y., Takahashi T., Kurokawa Y., Motoori M., Kimura Y., Nakajima K., Mori M., Doki Y. | Impact of measurement of skeletal muscle mass on clinical outcomes in patients with esophageal cancer undergoing esophagectomy after neoadjuvant chemotherapy. | Surgery. | 166 | 6 | 166(6): | 1041 | 1047 | 1041–1047 | 12 | 2019 |
| Ezaki S. | Tomimaru Y., Noguchi K., Noura S., Imamura H., Dono K. | Surgical results of laparoscopic cholecystectomy for gallbladder torsion | Am Surg | 85 | 5 | 85(5): | 471 | 473 | 471–473 | 5 | 2019 |
| Yoshioka R. | Tomimaru Y., Noguchi K., Noura S., Imamura H., Dono K. | The “off-hour effect” in urgent laparoscopic cholecystectomy for acute cholecystitis | Surg Laparosc Endosc Percutan Tech | 29 | 6 | 29(6): | 467 | 471 | 467–471 | 12 | 2019 |
| Doi T. | Kurokawa Y., Sawaki A., Komatsu Y., Ozaka M., Takahashi T., Naito Y., Ohkubo S., Nishida T. | Efficacy and safety of TAS-116, an oral inhibitor of heat shock protein 90 in patients with metastatic or unresectable gastrointestinal stromal tumour refractory to imatinib, sunitinib, and regorafenib: phase 2, single-arm trial. | Eur J Cancer | 121 | | | 29 | 39 | 29–39 | 11 | 2019 |
| Hori Y | Hayashi K., Naitoh I., Kato H., Nomura T., Miyabe K., Yoshida M., Jinno N., Natsume M., Kato A., Asano G., Takiguchi S., Nakajima K. | Feasibility and safety of duodenal covered self-expandable metallic stent fixation: an experimental study. | Surg Endosc | 33 | 12 | 33(12): | 4026 | 4031 | 4026–4031 | 12 | 2019 |
| Kamba S | Kobayashi M., Koizumi A., Ono S., Hara Y., Shimamoto N., Matsui H., Furuhashi H., Ohya TR., Tamai N., Nishikawa M., Nakajima K., Sumiyama K. | Intra-abdominal pressure during endoscopic full-thickness resection comparing manual and automatic control insufflation: a block-randomized porcine study. | Surg Endosc. | 34 | 4 | 34(4): | 1625 | 1633 | 1625–1633 | 4 | 2020 |

| | | | | | | | | | | | |
|----------------|---|---|----------------------------|-----|----|---------|------------|------|------------|----|------|
| Kato K. | Cho BC., Takahashi M., Okada M., Lin CY., Chin K., Kadokawa S., Ahn MJ., Hamamoto Y., Doki Y., Yen CC., Kubota Y., Kim SB., Hsu CH., Holtved E., Xynos I., Kodani M., Kitagawa Y. | Nivolumab versus chemotherapy in patients with advanced oesophageal squamous cell carcinoma refractory or intolerant to previous chemotherapy (ATTRACTION-3): a multicentre, randomised, open-label, phase 3 trial. | Lancet Oncol | 20 | 11 | 20(11): | 1506 | 1517 | 1506–1517 | 11 | 2019 |
| Kitagawa Y. | Uno T., Oyama T., Kato K., Kato H., Kawakubo H., Kawamura O., Kusano M., Kuwano H., Takeuchi H., Toh Y., Doki Y., Naomoto Y., Nemoto K., Booka E., Matsubara H., Miyazaki T., Muto M., Yanagisawa A., Yoshida M. | Esophageal cancer practice guidelines 2017 edited by the Japan Esophageal Society: part 1. | Esophagus | 16 | 1 | 16(1): | 1 | 24 | 1–24 | 1 | 2019 |
| Kitagawa Y. | Uno T., Oyama T., Kato K., Kato H., Kawakubo H., Kawamura O., Kusano M., Kuwano H., Takeuchi H., Toh Y., Doki Y., Naomoto Y., Nemoto K., Booka E., Matsubara H., Miyazaki T., Muto M., Yanagisawa A., Yoshida M. | Esophageal cancer practice guidelines 2017 edited by the Japan esophageal society: part 2. | Esophagus | 16 | 1 | 16(1): | 25 | 43 | 25–43 | 1 | 2019 |
| Miyata H. | Sugimura K., Yamasaki M., Makino T., Tanaka K., Morii E., Omori T., Yamamoto K., Yanagimoto Y., Yano M., Nakatsuka S., Mori M., Doki Y. | Clinical Impact of the Location of Lymph Node Metastases After Noadjuvant Chemotherapy for Middle and Lower Thoracic Esophageal Cancer. | Ann Surg Oncol | 26 | 1 | 26(1): | 200 | 208 | 200–208 | 1 | 2019 |
| Morooka Y. | Umehita K., Taketomi A., Shirabe K., Yoshizumi T., Yamamoto M., Shimamura T., Oshita A., Ohdan H., Kawagishi N., Hagiwara K., Eguchi H., Nagano H. | Long term donor quality of life after living liver transplantation in Japan. | Clin Transplant | 33 | 6 | 33(6): | e1358 4 | | e13584 | | 2019 |
| Sam Sharma | Momose K., Hara H., James East., Sumiyama K., Nakajima K., Gerd Silbehumer., Jeffrey Milsom. | Facilitating endoscopic submucosal dissection: double balloon endolumenal platform significantly improves dissection time compared with conventional technique. | Surg Endosc | 33 | 1 | 33(1): | 315 | 321 | 315–321 | 1 | 2019 |
| Shimizu H. | Endo S., Natsugoe S., Doki Y., Hirata Y., Kobayashi J., Motomura N., Nakano K., Nishida H., Okada M., Saiki Y., Saito A., Sato Y., Tanemoto K., Toh Y., Tsukihara H., Wakui S., Yokomise H., Masuda M., Yokoi K., Okita Y. | Thoracic and cardiovascular surgery in Japan in 2016 : Annual report by The Japanese Association for Thoracic Surgery. | Gen Thorac Cardiovasc Surg | 67 | 4 | 67(4): | 377 | 411 | 377–411 | 4 | 2019 |
| Takeda Y. | Tomimaru Y., Yokota Y., Noguchi K., Noura S., Imamura H., Iwazawa T., Akagi K., Adachi S., Shirakawa T., Dono K. | Outcomes of laparoscopic cholecystectomy for xanthogranulomatous cholecystitis | Mol Clin Oncol | 11 | 3 | 11(3): | 279 | 284 | 279–284 | 9 | 2019 |
| Tokumitsu Y. | Shindo Y., Matsui H., Matsukuma S., Nakajima M., Suzuki N., Takeda S., Wada H., Kobayashi S., Eguchi H., Ueno T., Nagano H. | Utility of scoring systems combining the product of tumor number and size with liver function for predicting the prognosis of patients with hepatocellular carcinoma after hepatectomy. | Oncol Lett | 18 | 4 | 18(4): | 3903 | 3913 | 3903–3913 | 10 | 2019 |
| Alberto Arezzo | | The use of 3D laparoscopic imaging systems in surgery. EAES consensus development conference 2018 | Surg Endosc. | 33 | 10 | 33(10): | 3251 | 3274 | 3251–3274 | 10 | 2019 |
| Saito Y. | Takahashi T., Obata Y., Nishida T., Ohkubo S., Nakagawa F., Serada S., Fujimoto M., Ohkawara T., Nishigaki T., Sugase T., Koh M., Ishida T., Tanaka K., Miyazaki Y., Makino T., Kurokawa Y., Nakajima K., Yamasaki M., Hirota S., Naka T., Mori M., Doki Y. | TAS-116 Inhibits Oncogenic KIT Signalling on the Golgi in Both Imatinib-Naïve and Imatinib-Resistant Gastrointestinal Stromal Tumours. | Br J Cancer | 122 | 5 | 122(5): | 658 | 667 | 658–667 | 3 | 2020 |
| Yamamoto K | Makino T., Sato E., Noma T., Urakawa S., Takeoka T., Yamashita K., Saito T., Tanaka K., Takahashi T., Kurokawa Y., Yamasaki M., Nakajima K., Mori M., Doki Y., Wada H | Tumor—infiltrating M2 macrophage in pretreatment biopsy sample predicts response to chemotherapy and survival in esophageal cancer | Cancer Science | 111 | 4 | 111 (4) | 1103 | 1112 | 1103–1112. | 4 | 2020 |

| | | | | | | | | | | | |
|---------------------|--|---|--|----|----|--------|------|------|-------------------------------|----|------|
| Atsushi Gakuhabara1 | Yasuhiro Miyazaki1 Yukinori Kurokawa1 Tsuyoshi Takahashi1 Makoto Yamasaki1 Tomoki Makino1 Koji Tanaka1 Masaaki Motoori2 Yutaka Kimura3 Kiyokazu Nakajima1 Shuji Takiguchi4 Masaki Mori1 Yuichiro Doki1 | Laparoscopic distal gastrectomy for gastric cancer with simultaneous resection of para-aortic schwannoma | Asian J Endosc Surg | 13 | 1 | ;13(1) | | | :95–98. | 1 | 2020 |
| Yoshiki Taniguchi, | Tsuyoshi Takahashi*, Kiyokazu Nakajima, Shige Yoshi Higashi, Koji Tanaka, Yasuhiro Miyazaki, Tomoki Makino, Yukinori Kurokawa, Makoto Yamasaki, Shuji Takiguchi, Masaki Mori and Yuichiro Doki | Multiple huge epiphrenic esophageal diverticula with motility disease treated with video-assisted thoracoscopic and hand-assisted laparoscopic esophagectomy: a case report | Taniguchi et al. Surgical Case Reports | | | 0: | | | DOI 10.1186/s40792-017-0339-6 | | |
| M Yamamoto | Y kurokawa,N Kobayashi, T Takahashi,Y Miyazaki,K Tanaka,T Makino,M Yamasaki,K Nakajima,M Mori,Y Doki | Prognostic value of the Combined Index of Plasma Fibrinogen and the Neutrophil-Lymphocyte Ratio in Gastric Cancer | World J Surg. | 44 | 1 | 44(1) | 207 | 212 | :207–212 | 1 | 2020 |
| Kudo T | Takemasa I*, Hata T, Sakai D, Takahashi H , Haraguchi N, Nishimura J, Hata T, Matsuda C, Satoh T, Mizushima T, Mori M, Doki Y. | A Phase I Study of Neoadjuvant Capecitabine, Oxaliplatin, and Irinotecan (XELOXIRI) in Patients with Locally Advanced Rectal Cancer. | Oncology. | 97 | 4 | 97(4) | 211 | 216 | :211–216. | | |
| Kinoshita M. | Kobayashi S.Gotoh K.Kubo M.Hayashi K.Iwagami Y.Yamada D.Akita H. Noda T.Asaka T.Takeda Y.Tanemura M.Eguchi H.Urakawa S.Goto K.Maebara K.Wada H.Mori M.Doki Y | Heterogeneity of Treg/Th17 According to Cancer Progression and Modification in Biliary Tract Cancers via Self-Producing Cytokines | Digestive Diseases and Sciences | 65 | 10 | 65(10) | 2937 | 2948 | :2937–2948 | 10 | 2020 |
| Akie Kimura | D Sakai,T. Kudo,N.Nishida,A.Katou,C.Inagaki,T.Otsuru,Y.Miyazaki,K.Tanaka,T.Makino,T.Takahashi,Y.Kurokawa,M.Yamasaki,M.Mori ,Y.Doki,T.Satoh | Nivolumab-induced interstitial lung disease in a patient with gastric cancer | Oxford Medical Case Reports | 2 | | | 92 | 95 | 92–95 | | 2019 |
| Shunji Endo | Y.Kurokawa,M.Gamoh,Y.Kimura,J.Matsuyama,H.Taniguchi,A.Takeno,R.Kawabata,J.Kawada,T.Masuzawa,K.Yamamoto, K.Kobayashi,D.Sakai,T.Shimokawa,T.Sato | Trastuzumab With S-1 Plus Cisplatin in HER2-positive Advanced Gastric Cancer Without Measurable Lesions:OGSG 1202 | Anticancer Research | 39 | | | 1059 | 1065 | 1059–1065 | | 2019 |