

原著 (英文)

●平成14年度 (2002.4~2003.3) ●

- 1. Two novel metabolic pathways of 22-oxacalcitriol(OCT) : C-25 dehydration and C-3 Epimerization, and biological activities of novel OCT metabolites.
Kamao M※, Tatematsu S※, Hatakeyama S※, Ozono K, Kubodera N※, Reddy GS※, Okano T※
J Biol Chem, 278 (3) : 1463-1471, 2003.

- 2. Scheie Syndrome (MPS-IS) presented as bilateral trigger thumb.
Matsui Y※, Kawabata H※, Nakayama M※, Ozono K, Kitoh H※, Sukegawa K※, Tsuboi H※, Yoshikawa H※
Pediatr Int, 45 (1) : 91-92, 2003.

- 3. Establishment of a monosomy 7 leukemia cell line, MONO-7, with a ras gene mutation.
Fujisaki H, Takai K, Sawada A, Tokimasa S, Matsuda Y, Ohta H, Osugi Y, Kim JY, Hosoi G※, Sako M※, Hara J
Int J Hematol, 75 (1) : 72-77, 2002.

- 4. Outcome after relapse in childhood acute lymphoblastic leukemia.
Yumura-Yagi K※, Hara J, Horibe K※, Tawa A※, Komada Y※, Oda M※, Nishimura †S※, Yoshida M※, Kudo T※, Ueda K※
Int J Hematol, 76 (1) : 61-68, 2002.

- 5. Polycomb group gene Rae28 is required for sustaining activity of hematopoietic stem cells.
Ohta H, Sawada A, Kim JY, Tokimasa S, Nishiguchi S※, Humphries RK※, Hara J, Takihara Y※
J Exp Med, 195 (6) : 759-770, 2002.

- 6. Overexpression of Polycomb-group gene Rae28 in cardiomyocytes does not complement abnormal cardiac morphogenesis in mice lacking rae28 but causes dilated cardiomyopathy.
Koga H※, Kaji Y※, Nishii K※, Shirai M※, Tomotsune D※, Osugi T※, Sawada A, Kim JY, Hara J, Miwa T※, Yamauchi-Takihara K※, Shibata Y※, Takihara Y※
Lab Invest, 82 (4) : 375-385, 2002.

- 7. The Polycomb-group gene Rae28 sustains Nkx2.5/Csx expression and is essential for cardiac morphogenesis.
Shirai M※, Osugi T※, Koga H※, Kaji Y※, Takimoto E※, Komuro I※, Hara J, Miwa †T※, Yamauchi-Takihara K※, Takihara Y※
J Clin Invest, 110 (2) : 177-184, 2002.

- 8.Osteosarcoma after bone marrow transplantation for acute lymphoblastic leukemia.
Asai T✉, Myoui A✉, Fujimoto T✉, Hara J, Aozasa K✉, Yoshikawa H✉
Int J Clin Oncol, 7 (5) : 318-321, 2002.

- 9.Ganciclovir is effective for prophylaxis and treatment of human herpesvirus-6 in allogeneic stem cell transplantation.
Tokimasa S, Hara J, Osugi Y, Ohta H, Matsuda Y, Fujisaki H, Sawada A, Kim JY, Sashihara J, Amo K, Miyagawa H, Tanaka-Taya K, Yamanishi K, Okada S
Bone Marrow Transplant, 29 (7) : 595-598, 2002.

- 10.High incidence of human herpesvirus 6 infection with a high viral load in cord blood stem cell transplant recipients.
Sashihara J, Tanaka-Taya K, Tanaka S✉, Amo K, Miyagawa H, Hosoi G✉, Taniguchi T✉, Fukui T✉, Kasuga N✉, Aono T✉, Sako M✉, Hara J, Yamanishi K✉, Okada S
Blood, 100 (6) : 2005-2011, 2002.

- 11.Myeloid blood CD11c+ dendritic cells and monocyte-derived dendritic cells differ in their ability to stimulate T lymphocytes.
Osugi Y, Vuckovic S✉, Hart DNJ✉
Blood, 100 (8) : 2858-2866, 2002.

- 12.Zoom endoscopic evaluation of rejection in living-related small bowel transplantation.
Sasaki T✉, Hasegawa T✉, Nakai H✉, Kimura T✉, Okada A✉, Mushiake S, Doi R✉
Transplant, 73 (4) : 560-564, 2002.

- 13.Effects of isolated small bowel transplantation on liver dysfunction caused by intestinal failure and long-term total parenteral nutrition.
Hasegawa T✉, Sasaki T✉, Kimura T✉, Nakai H✉, Sando K✉, Wasa M✉, Takagi Y✉, Okada A✉, Mushiake S, Harada T
Pediatr Transplant, 6 (3) : 235-239, 2002.

- 14.Marked hyperbilirubinemia caused by acute cellular rejection combined with preservation injury in an infant undergoing living-related liver transplantation.
Hasegawa T✉, Sasaki T✉, Kimura T✉, Oimatsu N✉, Okada A✉, Mushiake S, Hoshida Y✉, Dono K✉, Kato T✉
Pediatr Transplant, 6 (6) : 513-517, 2002.

- 15.Diagnostic accuracy of the 13C-urea breath test for childhood Helicobacter pylori infection : a multicenter Japanese study.
Kato S✉, Ozawa K✉, Konno M✉, Tajiri H, Yoshimura N✉, Shimizu T✉, Fujisawa T✉, Abukawa D✉, Minoura T✉, Inuma K✉
Am J Gastroenterol, 97 (7) : 1668-1673, 2002.

- 16. Protective mucosal immunity in aging is associated with functional CD4+T cells in nasopharyngeal-associated lymphoreticular tissue.
Hagiwara Y✉, MsGhee JR✉, Fujihashi K✉, Kobayashi R✉, Yoshino N✉, Kataoka K✉, Etani Y, Kweon M✉, Tamura S✉, Kurata T✉, Takeda Y, Kiyono H✉, Fujihashi K✉
J Immunol, 170 (4) : 1754-62, 2003.

- 17. P wave signal averaged electrocardiography in patients undergoing the Fontan operation.
Inamura N✉, Matsushita T, Fukunami M✉, Sano T, Takeuchi M, Kurotobi S, Miura T✉, Matsuda H✉, Okada S
J Cardiol, 39 (2) : 101-107, 2002.

- 18. Novel mutations in the $\alpha 3$ subunit of vacuolar H⁺-adenosine triphosphatase in a Japanese patient with infantile malignant osteopetrosis.
Michigami T✉, Kageyama T✉, Satomura K✉, Shima M, Yamaoka K✉, Nakayama M✉, Ozono K
Bone, 30 (2) : 436-439, 2002.

- 19. Placental features in preterm infants with periventricular leukomalacia.
Kumazaki K, Nakayama M✉, Sumida Y✉, Ozono K, Mushiake S, Suehara N✉, Wada Y✉, Fujimura M✉
Pediatr, 109 (4) : 650-655, 2002.

- 20. Detection of cytomegalovirus DNA in human placenta.
Kumazaki K, Ozono K, Yahara T✉, Takeuchi M✉, Suehara N✉, Wada Y✉, Nakayama M✉
J Med Virol, 68 (3) : 363-369, 2002.

- 21. Glu274Lys/Gly309Arg mutation of the tissue-nonspecific alkaline phosphatase gene in neonatal hypophosphatasia associated with convulsions.
Litmanovitz I✉, Reish O✉, Dolfin T✉, Arnon S✉, Regev R✉, Grinshpan G✉, Yamazaki M✉, Ozono K
J Inherit Metab Dis, 25 : 35-40, 2002.

- 22. Alendronate and pharmacological doses of 1 α OHD₃ therapy in a patient with McCune-Albright syndrome and accompanying hypophosphatemia.
Yamamoto T✉, Ozono K, Shima M, Yoshikawa H✉, Okada S
J Bone Miner Metab, 20 : 170-173, 2002.

- 23. Expression of vascular endothelial growth factor, placental growth factor, and their receptors FLt-1 and KDR in human placenta under pathologic conditions.
Kumazaki K, Nakayama M✉, Suehara N✉, Wada Y✉
Hum Pathol, 33 (11) : 1069-77, 2002.

- 24. Development of hyperthyroidism in a patient with idiopathic nephrotic syndrome.
Kubota T, Hirai H, Shimizu N, Sawada A, Kondou H, Nakajima S, Harada T, Shima M
Pediatr Nephrol, 17 : 367-369, 2002.

- 25.Isolation of baculovirus-expressed human vitamin D receptor : DNA responsive element interactions and phosphorylation of the purified receptor.
Jurutka PW✉, McDonald PN✉, Nakajima S, Hsieh JC✉, Thompson PD✉, Whitfield GK✉, Galligan MA✉, Haussler CA✉, Haussler MR✉
J Cell Biochem, 85 : 435-457, 2002.

- 26.Shift of serum osteocalcin components between cord blood and blood at day 5 of life.
Shimizu N, Shima M, Hirai H, Nakajima S, Nishimura K, Yamaoka K✉, Okada S
Pediatr Res, 52 (5) : 656-659, 2002.

- 27.Long-term hospitalization during pregnancy is a risk factor for vitamin D deficiency in neonates.
Nishimura K, Shima M, Tsugawa N✉, Matsumoto S✉, Hirai H, Santo Y, Nakajima S, Iwata M✉, Takagi T✉, Kanda Y✉, Kanzaki T✉, Okano T✉, Ozono K
J Bone Miner Metab, 21 (2) : 103-108, 2003.

- 28.Tyrosines 559 and 807 in the cytoplasmic tail of the macrophage colony-stimulating factor receptor play distinct roles in osteoclast differentiation and function.
Feng X✉, Takeshita S✉, Namba N, Wei S✉, Teitelbaum SL✉, Ross FP✉,
Endocrinology, 143(12) : 4868-4874, 2002.

- 29.SHIP-deficient mice are severely osteoporotic due to increased numbers of hyper-resorptive osteoclasts.
Takeshita S✉, Namba N, Zhao JJ✉, Jiang Y✉, Genant HK✉, Silva MJ✉, Brodt MD✉, Helgason CD✉, Kalesnikoff J✉, Rauh MJ✉, Humphries RK✉, Krystal G✉, Teitelbaum SL✉, Ross FP✉
Nat Med, 8(9) : 943-949, 2002.

- 30.Prenatal ultrasonographic appearance of type III d biliary atresia.
Hasegawa T✉, Sasaki T✉, Kimura T✉, Sawai T✉, Nose K✉, Kamata S✉, Okada A✉, Wada K, Kanzaki T✉
Pediatr Surg Int, 18 : 425-428, 2002.

- 31.Neonatal Bartter syndrome with unilateral multicystic dysplastic kidney disease.
Tomimatsu T✉, Fukuda H✉, Kanzaki Y✉, Hirano S, Wada K, Murata Y✉
Pediatr Nephrol, 18 : 391-393, 2003.

- 32.Hematopoietic prostaglandin D synthase is expressed in microglia in the developing postnatal mouse brain.
Mohri I, Eguchi N✉, Suzuki K✉, Urade Y✉, Taniike M
Glia, 42 : 263-274, 2003.

- 33.Induction of hematopoietic prostaglandin D synthase in hyalinated necrotic muscle fibers : its implication in grouped necrosis.
Okinaga T, Mohri I, Fujimura H✉, Imai K, Ono J, Urade Y✉, Taniike M
Acta Neuropathol (Berl) , 104 : 377-384, 2002.

- 34.Perineuronal oligodendrocytes protect against neuronal apoptosis through the production of lipocalin-type prostaglandin D synthase in a genetic demyelinating model.
Taniike M, Mohri I, Eguchi N※, Beuckmann CT※, Suzuki K※, Urade Y※
J Neurosci, 22 : 4885-4896, 2002.

- 35.A point mutation of mitochondrial ATPase 6 gene in Leigh syndrome.
Akagi M, Inui K, Tsukamoto H, Sakai N, Muramatsu T, Yamada M, Matsuzaki K※, Goto Y※, Nonaka I※, Okada S
Neuromuscul Dis, 12 : 53-55, 2002.

- 36.Mutation analysis of the acid ceramidase gene in Japanese patients with Farber disease.
Muramatsu T, Sakai N, Yanagihara I, Yamada M, Nishigaki T, Kokubu C, Tsukamoto H, Ito M※, Inui K
J Inherit Metab Dis, 25 : 585-592, 2002.

- 37.Decreased frequency of seizures in infantile spasms associated with lissencephaly by human herpes virus 7 infection.
Ono J, Imai K, Tanaka-Taya K, Kurahashi H※, Okada S※
Pediatr Int, 44 : 168-170, 2002.

- 38.Long-term response to zonisamide in patients with West syndrome.
Suzuki Y※, Imai K, Toribe Y※, Ueda H※, Yanagihara K, Shimono K, Okinaga T, Ono J※, Nagai T※, Matsuoka T※, Tagawa T※, Abe J※, Morita Y※, Fujikawa Y※, Arai H※, Mano T※, Okada S
Neurology, 58 : 1556-1559, 2002.

- 39.Unverricht-Lundborg Disease with Cystatin B Gene Abnormalities.
Kagitani-Shimono K, Imai K, Okamoto N※, Ono J, Okada S
Pediatr Neurol, 26 (1) : 55-60, 2002.

- 40.The application of SAM virtual sensor method for analysis of epileptic discharges : comparison with simultaneously recorded ECoG.
Kato A※, Ninomiya H※, Hirata M※, Nii Y※, Taniguchi M※, Hirano S※, Imai K, Hirabuki N※, S.E.Robinson※, Yoshimine T※
Int Congress Series, 1232 : 303-310, 2002.

- 41.Neuromagnetic gamma-band activity in the primary and secondary somatosensory areas.
Ihara A※, Hirata M※, Yanagihara K, Ninomiya H※, Imai K, Ishii R※, Osaki Y※, Sakihara K※, Izumi H※, Imaoka H※, Kato A※, Yoshimine T※, Yorifuji S※
Neuroreport, 14 (2) : 273-277, 2003.

- 42.Human herpesvirus-6 infection in neonates : Not protected by only humoral immunity.
Sugimoto T※, Tanaka-Taya K, Ono J※, Miyoshi H, Okada S, Yamanishi K※
Pediatr Int, 44 (3) : 281-285, 2002.

- 43.Identification of human herpesvirus 6 latency-associated transcripts.
Kondo K※, Shimada K※, Sashihara J, Tanaka-Taya K, Yamanishi K※
J Virol, 76 (8) : 4145-4151, 2002.

●44.Strong interaction between human herpesvirus 6 and peripheral blood monocytes/
macrophages during acute infection.

Kondo K✉, Kondo T✉, Shimada K✉, Amo K, Miyagawa H, Yamanishi K✉
J Med Virol, 67 (3) : 364-369, 2002.