

## 原著 (英文)

### ●平成19年度 (2007.4~2008.3) ●

●1.Successful allogeneic stem cell transplant for leukocyte adhesion deficiency using an adjusted busulfan-containing regimen.

Yoshimoto A, Hashii Y, Kashiwagi H, Koizumi M, Tokimasa S, Fujisaki H, Ohta H, Hanai N※, Ozono K, Hara J※

Pediatr Transplant, 11 (4) : 453-455, 2007.

●2.Near-maximal expansions of hematopoietic stem cells in culture using NUP98-HOX fusions.

Ohta H, Sekulovic S※, Bakovic S※, Eaves CJ※, Pineault N※, Gasparetto M※, Smith C※, Sauvageau G※, Humphries RK※

Exp Hematol, 35 (5) : 817-830, 2007.

●3.A case of persistent hyperinsulinemic hypoglycemia of infancy : Successfully managed with subcutaneous octreotide injection and nocturnal intravenous glucose supply.

Murakami M, Mushiake S, Kashiwagi H※, Etani Y, Miyoshi Y, Ozono K

Clinical Pediatr Endocrinol, 16 (3) : 75-80, 2007.

●4.Clin phenotype and endocrinological investigations in a patient with a mutation in the MCT8 thyroid hormone transporter.

Namba N, Etani Y, Kitaoka T, Nakamoto Y, Nakacho M※, Bessho K, Miyoshi Y, Mushiake S, Mohri I, Arai H※, Taniike M, Ozono K

Eur J Pediatr, 2007 Sep 25.

●5.Wnt/Lrp/beta-catenin signaling suppresses adipogenesis by inhibiting mutual activation of PPARgamma and C/EBPalpha.

Kawai M, Mushiake S, Bessho K, Murakami M, Namba N, Kokubu C※, Michigami T※, Ozono K

Biochem Biophys Res Commun, 16 ; 363 (2) : 276-282, 2007.

●6.Successful living related liver transplantation in a case with biliary atresia associated with corrected transposition of the great arteries.

Kimura T※, Hasegawa T※, Ihara Y※, Mushiake S, Kogaki S, Dono K※, Fukuzawa M※

Pediatr Transplant, 11 (5) : 540-542, 2007.

●7.The Rab8 GTPase regulates apical protein localization in intestinal cells.

Sato T※, Mushiake S, Kato Y※, Sato K※, Sato M※, Takeda N※, Ozono K, Miki K※, Kubo Y※, Tsuji A※, Harada R※, Harada A※

Nature, 19 ; 448 (7151) : 366-369, 2007.

- 8.Hepatitis C virus infection and interferon therapy in patients with Down syndrome.  
Miyoshi Y , Tajiri H✉, Okaniwa M✉, Terasawa S✉, Fujisawa T✉, Iizuka T✉ , Ozono K  
Pediatrics international, 50 (1) : 7-11, 2008.
  
- 9.Sonographic femur length to trunk cross area ratio : prediction of fetal outcome in 30 cases in which micromelia was suspected.  
Arahoru H, Tamura A, Wasada K, Shimoya K, Wada K, Murata Y, Ozono K  
J Obstet Gynaecol Res, 33 (3) : 248-253, 2007.
  
- 10.Hypoxia induces alteration of bone morphogenetic protein receptor signaling in pulmonary artery endothelial cell.  
Takahashi K, Kogaki S, Matsushita T✉, Nasuno S, Kurotobi S✉, Ozono K  
Pediatr Res, 61 (4) : 392-397, 2007.
  
- 11.A novel system of assessing myocardial recovery during left ventricular support : Report of a case.  
Hoashi T✉, Matsumiya G✉, Sakata Y✉, Kogaki S, Sawa Y✉  
Surg Today, 38 (2) : 154-156, 2008.
  
- 12.Modulated Inflammation by Injection of High-Mobility Group Box 1 Recovers Post-Infarction Chronically Failing Heart.  
Takahashi K, Fukushima S✉, Yamahara K✉, Yashiro K✉, Shintani Y✉, Coppens RS✉, Salem KH✉, Brouillette WS✉, Yacoub HM✉, Suzuki K✉  
Circulation, 118[suppl 1] : 106-114, 2008.
  
- 13.A Factor Underlying Late-Phase Arrhythmogenicity After Cell Therapy to the Heart.  
Coppens RS✉, Fukushima S✉, Shintani Y✉, Takahashi K, Varela-Carver A✉, Salem H✉, Yashiro K✉, Yacoub HM✉, Suzuki K✉  
Circulation, 118[suppl 1] : 138-144, 2008.
  
- 14.A case of primary hyperparathyroidism in childhood found by a chance hematuria.  
Ohata Y, Yamamoto T✉, Kitai Y, Mizoguchi Y✉, Iwaki M✉, Sumi K✉, Fujikawa Y✉, Koga M✉, Sugao H✉, Shimotsuji T✉, Ozono K  
Clin Pediatr Endocrinol, 16 (1) : 11-16, 2007.
  
- 15.Genetic association of a polymorphism of the cAMP-responsive element binding protein-binding protein with steroid-induced osteonecrosis after kidney transplantation.  
Tamura K, Nakajima S✉, Hirota Y✉, Takahashi KA✉, Fujioka M✉, Kubo T✉, Iwatani Y✉, Ozono K  
J Bone Miner Metab, 25 (5) : 320-325, 2007.
  
- 16.Hereditary hypophosphatemic rickets with hypercalciuria : a study for the phosphate transporter gene type IIc and osteoblastic function.  
Yamamoto T✉, Michigami T✉, Aranami F✉, Segawa H✉, Yoh K✉, Nakajima S✉, Miyamoto K✉, Ozono K  
J Bone Miner Metab, 25 (6) : 407-413, 2007.

- 17. Involvement of nuclear factor I transcription/replication factor in the early stage of chondrocytic differentiation.  
Uchihashi T✉, Kimata M✉, Tachikawa K✉, Koshimizu T✉, Okada T✉, Ihara-Watanabe M✉, Sakai N, Kogo M✉, Ozono K, Michigami T✉  
Bone, 41 (6) : 1025-1035, 2007.
  
- 18. Solitary congenital granular cell lesion of the tongue.  
Senoo H✉, Iida S✉, Kishino M✉, Namba N, Aikawa T✉, Kogo M✉  
Oral Pathol Oral Radiol Endod, 104 (1) : e45-e48, 2007.
  
- 19. ApoB C7623T polymorphism predicts risk for steroid-induced osteonecrosis of the femoral head after renal transplantation.  
Hirata T✉, Fujioka M✉, Takahashi KA✉, Arai Y✉, Asano T✉, Ishida M✉, Kuribayashi M✉, Akioka K✉, Okamoto M✉, Yoshimura N✉, Satomi Y✉, Nishino H✉, Fukushima W✉, Hirota Y✉, Nakajima S✉, Kato S✉, Kubo T✉  
J Orthop Sci, 12 : 199-206, 2007.
  
- 20. Low molecular weight phenotype of apolipoprotein (a) is a risk factor of corticosteroid-induced osteonecrosis of the femoral head after renal transplant.  
Hirata T✉, Fujioka M✉, Takahashi KA✉, Arai Y✉, Asano T✉, Ishida M✉, Akioka K✉, Okamoto M✉, Yoshimura N✉, Satomi Y✉, Nishino H✉, Hirota Y✉, Nakajima S✉, Kato S✉, Kubo T✉.  
J Rheumatol, 34 : 516-522, 2007.
  
- 21. PTH/cAMP/PKA signaling facilitates canonical Wnt signaling via inactivation of glycogen synthase kinase-3 $\beta$  in osteoblastic Saos-2 cells.  
Suzuki A✉, Ozono K, Kubota T, Kondou H✉, Tachikawa K✉, Michigami T✉  
J Cell Biochem, 104 (1) : 304-317, 2008.
  
- 22. Novel mutations of the GLA gene in Japanese patients with Fabry disease and their functional characterization by active site specific chaperone.  
Shimotori M✉, Maruyama H✉, Nakamura G✉, Suyama T✉, Sakamoto F✉, Itoh M✉, Miyabayashi S✉, Ohnishi T✉, Sakai N, Wataya-Kaneda M✉, Kubota M✉, Takahashi T✉, Mori T✉, Tamura K✉, Kageyama S✉, Shio N✉, Maeba T✉, Yahagi H✉, Tanaka M✉, Oka M✉, Sugiyama H✉, Sugawara T✉, Mori N✉, Tsukamoto H✉, Tamagaki K✉, Tanda S✉, Suzuki Y✉, Shinonaga C✉, Miyazaki J✉, Ishii S✉, Gejyo F✉  
Hum Mutat, 29 (2) : 331, 2008.
  
- 23. Peripheral neuropathy in the twitcher mouse : accumulation of extracellular matrix in the endoneurium and aberrant expression of ion channels.  
Kagitani-Shimono K, Mohri I, Yagi T✉, Taniike M, Suzuki K✉  
Acta Neuropathol, 115 (5) : 577-587, 2008.
  
- 24. Restless legs syndrome (RLS) : An unrecognized cause for bedtime problems and insomnia in children.  
Mohri I, Kato-Nishimura K, Tachibana N✉, Ozono K, Taniike M  
Sleep Med, 9 (6) : 701-702, 2008.

●25.Lipocalin-type prostaglandin D synthase/beta-trace is a major amyloid beta-chaperone in human cerebrospinal fluid.

Kanekiyo T, Ban Tk※, Aritake K※, Huang ZL※, Qu WM※, Okazaki I※, Mohri I, Murayama S※, Ozono K, Taniike M, Goto Y※, Urade Y※

Proc Natl Acad Sci USA, 104 (15) : 6412-6417, 2007.

●26.Neuronal intranuclear hyaline inclusion disease with rapidly progressive neurological symptoms.

Mano T※, Takizawa S※, Mohri I, Okinaga T, Shimono K, Imai K※, Taniike M, Ozono K, Fujimura H※

J Child Neurol, 22 (1) : 60-66, 2007.

●27.Hematopoietic prostaglandin D synthase and DP1 receptor are selectively upregulated in microglia and astrocytes within senile plaques from human patients and in a mouse model of Alzheimer disease.

Mohri I, Kadoyama K※, Kanekiyo T, Sato Y※, Kagitani-Shimono K, Saito Y※, Suzuki K※, Kudo T※, Takeda M※, Urade Y※, Murayama S※, Taniike M

J Neuropathol Exp Neurol, 66 (6) : 469-480, 2007.

●28.Early induction of neuronal lipocalin-type prostaglandin D synthase after hypoxic-ischemic injury in developing brains.

Taniguchi H, Mohri I, Okabe-Arahoru H, Kanekiyo T, Kagitani-Shimono K, Wada K, Urade Y※, Nakayama M※, Ozono K, Taniike M

Neurosci Lett, 420 (1) : 39-44, 2007.

●29.Prostaglandin D2 protects neonatal mouse brain from hypoxic ischemic injury.

Taniguchi H, Mohri I, Okabe-Arahoru H, Aritake K※, Wada K, Kanekiyo T, Narumiya S※, Nakayama M※, Ozono K, Urade Y※, Taniike M

J Neurosci, 27 (16) : 4303-4312, 2007.

●30.Body weight reduction by CPAP treatment in a bedridden patient.

Kato-Nishimura K, Taniike M, Tachibana N※

Sleep Med, 9 (2) : 207-208, 2008 Mar.

●31.Varicella-Zoster Virus Glycoprotein M Homolog is Glycosylated, Expressed on the Viral Envelope, and Functions in Viral Cell-to-Cell Spread.

Yamagishi Y, Sadaoka T※, Yoshii H※, Somboonthum P※, Imazawa T※, Nagaike K※, Ozono K, Yamanishi K※, Mori Y※

Journal of Virology, 82 (2) : 795-802, 2008.