



DIEP flap breast reconstruction in patients with breast ptosis:
two-stage reconstruction using 3-dimensional surface imaging and a
printed mold.

Tomita K, Yano K, Taminato M, Nomori M, Hosokawa K.
Plast Reconstr Surg Glob Open 5(10):e1511, 2017

Infectious complications following breast reconstruction using tissue
expanders in patients with atopic dermatitis.

Taminato M, Tomita K, Yano K, Hosokawa K.
Plast Reconstr Surg Glob Open 5(10):e1535, 2017

Direct conversion of human fibroblasts into Schwann cells that
facilitate regeneration of injured peripheral nerve in vivo.

Sowa Y, Kishida T, Tomita K, Yamamoto K, Numajiri T, Mazda O.
Stem Cells Translational Medicine, 6(4):1207-1216, 2017

A case of unilateral failure in microvascular bilateral breast
reconstruction salvaged by flap transfer to the contralateral breast.

Saito T, Tomita K, Maeda D, Hosokawa K, Yano K.
Archives of Plastic Surgery, 44(2):173-174, 2017

STRATAFIX for abdominal wall repair following abdominal flap harvest.

Yasuda S, Tomita K, Kiya K, Hosokawa K.

Plast Reconstr Surg Glob Open 5(11):e1572, 2017

Endothelial cell-derived endothelin-1 is involved in abnormal scar formation by dermal fibroblasts through RhoA/Rho-kinase pathway.

Kiya K, Kubo T, Kawai K, Matsuzaki S, Maeda D, Fujiwara T, Nishibayashi A, Kanazawa S, Yano K, Amano G, Katayama T, Hosokawa K. **Exp Dermatol 26(8):705-712, 2017**

Vertical breast measurement in East Asian women: A guide for mastopexy and reduction to form nonptotic breasts in unilateral prosthetic breast reconstruction.

Fujiwara T, Yano K, Tanji Y, Nomura M.

J Plast Reconstr Aesthet Surg 70:229-235, 2017

The abnormal architecture of healed diabetic ulcers is the result of FAK degradation by Calpain 1.

Fujiwara T, Yano K, Tanji Y, Nomura M.

J Invest Dermatol 137(5):1155-1165, 2017

Congenital lipomatous tumour, presented as a polypoidal projection on upper eyelid.

Nishimoto S, Sotsuka Y, Kawai K, Ide YH, Kakibuchi M.

J Surg Case Rep (7):rjx139, 2017

A new rabbit model of impaired wound healing in an X-ray-irradiated field.

Fujita K, Nishimoto S, Fujiwara T, Sotsuka Y, Tonooka M, Kawai K, Kakibuchi M.

PLoS One 12(9):e0184534, 2017

Free flap transfer reconstruction in managing tongue carcinoma during pregnancy.

Miyazaki Y, Fukuda K, Fujita K, Nishimoto S, Terada T, Wada R, Sotsuka Y, Kawai K, Kakibuchi M.

J Surg Case Rep 2017(8):rjx164, 2017

An Attempt to Make Platelet Rich Fibrin from Bone Marrow Aspirate.

Nishimoto S, Fujita K, Fujiwara T, Sotsuka Y, Tonooka M, Ishise H, Kawai K, Kakibuchi M.

J Clin Diagn Res 11(8):PC04-PC07, 2017

A two-tiered structure device based on stereolithography for residual mandible repositioning in mandibular reconstruction with fibular flap.

Kadowaki M, Kubo T, Fujikawa M, Tashima H, Nagayama H, Ishihara O, Yamada R, Otake I, Hosokawa K.

Microsurgery 37(6):509-515, 2017

ASPS 2016 The Meeting Guest Nation の記録

特集 : ASPS 2016

細川 亙

日本形成外科学会誌 37(3):97, 2017

日本発の革新的な形成外科 特集 : ASPS 2016

細川 亙

日本形成外科学会誌 37(3):101-105, 2017

形成外科の今後を考える 理事長講演

細川 亙

日本形成外科学会誌 37(7):355-358, 2017

第 60 回日本形成外科学会総会・学術集会を開催して

— 還暦を迎えた日本形成外科学会 —

細川 亙

形成外科 60(9):1072-1073, 2017

眼瞼・眼窩の先天性疾患

吉岡直人

形成外科 60(1):17-25, 2017

当院における副耳 254 例の検討

岡田 翠、吉岡直人、西村恵里子

日本形成外科学会誌 37(7):382-386, 2017

広背筋皮弁による乳房温存術後の再建

富田興一、矢野健二、細川 亙

ブレスト・サージャリー実践マニュアル

PEPARS 125:57-63, 2017

Off Loading の最前線

菊池 守

PEPARS 126(63):63-70, 2017

糖尿病足病変に対する Total Contact Cast の治療効果に関する多施設共同
研究

菊池 守

日本下肢救済・足病学会誌 9(3):188-197, 2017
