

1. 英文原著・総説・教科書

Demizu Y, Mizumoto M, Onoe T, Nakamura N, Kikuchi Y, Shibata T, Okimoto T, Sakurai H, Akimoto T, Ono K, Daimon T, Murayama S: Proton beam therapy for bone sarcomas of the skull base and spine: A retrospective nationwide multicenter study in Japan. *Cancer Sci.* 2017 May; 108(5): 972–977.

Hamatani N, Sumida I, Takahashi Y, Oda M, Seo Y, Isohashi F, Tamari K, Ogawa K. Three dimensional dose prediction and validation with radiobiological gamma index based on relative seriality model for head-and-neck IMRT. *J Radiat Res.* 2017 58:701–9.

Harada H, Murayama S: Proton beam therapy in non-small cell lung cancer: state of the art. *Lung Cancer (Auckl)*. 2017 Aug 23; 8: 141–145.

Hirose K, Okura M, Sato S, Murakami S, Ikeda J, Noda Y, Fukuda Y, Morii E. Gnathic giant-cell-rich conventional osteosarcoma with MDM2 and CDK4 gene amplification. *Histopathol.* 2017;70(7): 1171–1173.

Inui S, Minami K, Emiko Ito E, Imaizumi H, Mori S, Koizumi M, Fukushima S, Miyagawa S, Sawa Y and Matsuura N. Irradiation strongly reduces tumorigenesis of human induced pluripotent stem cells. *J Radiat Res.* 2017 Jul;58(4):430–438

Ishiyama H, Kamitani N, Kawamura H, Kato S, Aoki M, Kariya S, Matsumura T, Kaidu M, Yoshida K, Hashimoto Y, Noda Y, Lim KHC, Kawase T, Takahashi T, Inaba K, Kumano M, Yoshikawa N, Yoshioka Y, Nakamura K, Hiratsuka J, Itami J, Hayakawa K. Nationwide multi-institutional retrospective analysis of high-dose-rate brachytherapy combined with external beam radiotherapy for localized prostate cancer: An Asian Prostate HDR-BT Consortium. *Brachytherapy.* 2017 May – Jun;16(3):503–10.

Iwama K, Yamazaki H, Shimizu D, Suzuki G, Nakamura S, Sasaki N, Takenaka T, Okabe H, Nishikawa T, Yoshida K. Interfractional Rectal Displacement Requiring Repeated Precaution Did Not Correlate to Biochemical Control and Rectal Toxicity in Patients with Prostate Cancer Treated with Image-guided Intensity-modulated Radiation Therapy. *Anticancer Res.* 2017 Oct;37(10):5755–60.

Karam I, Yao M, Heron DE, Poon I, Koyfman SA, Yom SS, Siddiqui F, Lartigau E, Cengiz M, Yamazaki

H, Hara W, Phan J, Vargo JA, Lee V, Foote RL, Harter KW, Lee NY, Sahgal A, Lo SS. Survey of current practices from the International Stereotactic Body Radiotherapy Consortium (ISBRTC) for head and neck cancers. Future Oncol. 2017 Mar;13(7):603–613.

Kimoto T, Yamazaki H, Suzuki G, Aibe N, Masui K, Tatekawa K, Sasaki N, Fujiwara H, Shiozaki A, Konishi H, Nakamura S, Yamada K. Local field radiotherapy without elective nodal irradiation for postoperative loco-regional recurrence of esophageal cancer. Jpn J Clin Oncol. 2017 Sep 1;47(9):809–814.

Kotsuma T, Yamazaki H, Masui K, Yoshida K, Shimizutani K, Akiyama H, Murakami S, Isohashi F, Yoshioka Y, Ogawa K, Tanaka E. Brachytherapy for Buccal Cancer: From Conventional Low Dose Rate (LDR) or Mold Technique to High Dose Rate Interstitial Brachytherapy (HDR-ISBT). Anticancer Res. 2017 Dec;37(12):6887–92.

Minami K, Liu S, Liu Y, Chen A, Wan Q, Na S, Bai-Yan Li, Matsuura N, Koizumi M, Yin Y, Gan L, Xu A, Li J, Nakshatri H and Yokota Y. Inhibitory Effect of Dopamine Receptor D1 Agonist on Mammary Tumor and Bone Metastasis. Scientific Reports. 2017 Apr 4;7:45686

Miwa S, Wada M, Murakami S, Suganami T, Ikebe K, Maeda Y. Gonial angle measured by orthopantomography as a predictor of maximum occlusal force. J Prosthodont. 2017 doi: 10.1111/jopr.12598.

Mizumoto M, Murayama S, Akimoto T, Demizu Y, Fukushima T, Ishida Y, Oshiro Y, Numajiri H, Fuji H, Okumura T, Shirato H, Sakurai H: Long-term follow-up after proton beam therapy for pediatric tumors: a Japanese national survey. Cancer Sci. 2017 Mar; 108(3): 444–447.

Morimoto M, Okishio K, Akira M, Omachi N, Tamiya A, Asami K, Kawaguchi T, Atagi S. Duration of twice daily thoracic radiotherapy and time from start of any treatment to the end of chest irradiation as significant predictors of outcomes in limited-disease small-cell lung cancer. Clin Lung Cancer. 2017;18:e117–27.

Murakami S, Verdonschot RG, Kreiborg S, Kakimoto N. Stereoscopy in Dental Education: An Investigation. J Dent Edu. 2017;81(4): 450–457.

Noda Y, Kishino M, Sato S, Hirose K, Sakai M, Fukuda Y, Murakami S, Toyosawa S. Galectin-1 expression is associated with tumour immunity and prognosis in gingival squamous cell carcinoma. J Clin Pathol. 2017;70(2): 126–133.

Lacas B, Bourhis J, Overgaard J, Zhang Q, Grégoire V, Nankivell M, Zackrisson B, Szutkowski Z, Suwiński R, Poulsen M, O'Sullivan B, Corvò R, Laskar SG, Fallai C, Yamazaki H, Dobrowsky W, Cho KH, Garden AS, Langendijk JA, Viegas CMP, Hay J, Lotayef M, Parmar MKB, Aupérin A, van Herpen C, Maingon P, Trott AM, Grau C, Pignon JP, Blanchard P; MARCH Collaborative Group. Role of radiotherapy fractionation in head and neck cancers (MARCH): an updated meta-analysis. Lancet Oncol. 2017 Sep;18(9):1221–1237. doi: 10.1016/S1470-2045(17)30458-8.

Ohira S, Ueda Y, Isono M, Masaoka A, Hashimoto M, Miyazaki M, Takashina M, Koizumi M, Teshima T. Can clinically relevant dose errors in patient anatomy be detected by gamma passing rate or modulation complexity score in volumetric-modulated arc therapy for intracranial tumors? J Radiat Res. 2017 Mar;3:1–8.

Ohira S, Isono M, Ueda Y, Hirata T, Ashida R, Hidenori Takahashi H, Miyazaki M, Takashina M, Koizumi M, Teshima T. Assessment with cone-beam computed tomography of intrafractional motion and interfractional position changes of resectable and borderline resectable pancreatic tumors with implanted fiducial marker. Br J Radiol. 2017 Apr; 90(1027):20160815

Ohira S, Ueda Y, Isono M, Masaoka A, Hashimoto M, Miyazaki M, Takashina M, Koizumi M, Teshima T. Can clinically relevant dose errors in patient anatomy be detected by gamma passing rate or modulation complexity score in volumetricmodulated arc therapy for intracranial tumors?. J Radiat Res. 2017 Sep; 58 (5):685–692

Ohno T, Wakatsuki M, Toita T, Kaneyasu Y, Yoshida K, Kato S, Ii N, Tokumaru S, Ikushima H, Uno T, Noda SE, Kazumoto T, Harima Y; The Working Group of the Gynecological Tumor Committee of the Japanese Radiation Oncology Study Group (JROSG). Recommendations for high-risk clinical target volume definition with computed tomography for three-dimensional image-guided brachytherapy in cervical cancer patients. J Radiat Res. 2017 May 1;58(3):341–50.

Okuyama C, Kimura M, Oda M, Kodani N, Aibe N, Yamazaki H. A Case of Thyroid Papillary Carcinoma: Remarkable Decrease in Multiple Lung Metastases within 40 Years after a Single Administration of Radioiodine without Thyroidectomy and with Later Anaplastic Transformation. Case Rep Oncol. 2017 Oct 17;10(3):928–937.

Otani K, Seo Y, Ogawa K. Radiation-Induced Organizing Pneumonia: A Characteristic Disease that Requires Symptom-Oriented Management. International Journal of Molecular Science. 2017;

18(2):281

Seki R, Wakisaka Y, Morimoto N, Takashina M, Koizumi M, Toki H, Fukuda M. Physics of epi-thermal boron neutron capture therapy (epi-thermal BNCT).. Radiol. Phys. Technol.. 2017 Dec;10: 387–408

Shimamoto H, Sumida I, Majima M, Senda Y, Usami A, Iwamoto Y, Marutani K, Okahata R, Tsujimoto T, Kakimoto N, Murakami S. Radiation-induced changes of ADC values for head and neck organs. Oral Surg Oral Med Oral Pathol Oral Radiol. 2017 124:27–8.

Shimizu D, Yamazaki H, Nishimura T, Aibe N, Okabe H. Long-term Tumor Control and Late Toxicity in Patients with Prostate Cancer Receiving Hypofractionated (2.2 Gy) Soft-tissue-matched Image-guided Intensity-modulated Radiotherapy. Anticancer Res. 2017 Oct;37(10):5829–5835.

Sumida I, Yamaguchi H, Das IJ, Kizaki H, Aboshi K, Tsujii M, Yamada Y, Tamari K, Seo Y, Isohashi F, Yoshioka Y, Ogawa K. Organ-specific modulation complexity score for the evaluation of dose delivery. J Radiat Res. 2017 58:675–84.

Sumida I, Yamaguchi H, Das IJ, Anetai Y, Kizaki H, Aboshi K, Tsujii M, Yamada Y, Tamari K, Seo Y, Isohashi F, Yoshioka Y, Ogawa K. Robust Plan Optimization Using Edge-Enhanced Intensity for Intrafraction Organ Deformation in Prostate Intensity-Modulated Radiation Therapy. PLoS ONE. 2017 12,e0173643.

Suzuki G, Yamazaki H, Aibe N, Masui K, Kimoto T, Tatekawa K, Nakashima A, Takenaka T, Nishimura T, Sasaki N, Oh RJ, Konishi K, Okabe H, Nagasawa S, Yamada K. Clinical outcome of patients treated with re-irradiation for spine or pelvic bone metastasis: A multi-institutional analysis of 98 patients. Mol Clin Oncol. 2017 Jun;6(6):871–875.

Suzuki G, Yamazaki H, Aibe N, Masui K, Sasaki N, Shimizu D, Kimoto T, Asai J, Wada M, Komori S, Katoh N, Yamada K. Clinical Usefulness of the Platelet-to Lymphocyte Ratio in Patients with Angiosarcoma of the Face and Scalp. Int J Mol Sci. 2017 Nov 13;18(11). pii: E2402.

Suzuki G, Yamazaki H, Aibe N, Masui K, Tatekawa K, Sasaki N, Kimoto T, Nishimura T, Nakashima A, Takenaka T, Fujiwara H, Ishikawa T, Yamada K. Palliative Radiotherapy in the Local Management of Stage IVB Esophageal Cancer: Factors Affecting Swallowing and Survival. Anticancer Res. 2017 Jun;37(6):3085–3092.

Tamura M, Sakurai H, Mizumoto M, Kamizawa S, Murayama S, Yamashita H, Takao S, Suzuki R, Shirato H, Ito YM: Lifetime attributable risk of radiation-induced secondary cancer from proton beam therapy compared with that of intensity-modulated X-ray therapy in randomly sampled pediatric cancer patients. *J Radiat Res.* 2017 May 1; 58(3): 363–371.

Takahashi Y, Yasui T, Minami K, Tamari K, Otani K, Seo Y, Isohashi F, Koizumi M, Ogawa K. Radiation enhances the effect of antitumor immunotherapy with an immunocomplex of Interleukin-2 and its monoclonal antibody. *Anticancer Res.* 2017 Dec;37(12):6799–6806.

Tatekawa S, Chinen Y, Ri M, Narita T, Shimura Y, Matsumura-Kimoto Y, Tsukamoto T, Kobayashi T, Kawata E, Uoshima N, Taki T, Taniwaki M, Handa H, Iida S, Kuroda J. Epigenetic repression of miR-375 is the dominant mechanism for constitutive activation of the PDPK1/RPS6KA3 signalling axis in multiple myeloma. *Br J Haematol* 2017 Aug;178(4):534–546.

Tsubouchi K, Minami M, Naoki Hayashi H, Yokoyama Y, Mori S, Yamamoto H, Koizumi M. The CD44 standard isoform contributes to radiresistance of pancreatic cancer cells. *J Radiat Res.* 2017 Nov;58(6):816–826

Uchiyama Y, Kreiborg S, Murakami S, Tsujimoto T, Sumida I. Changes in the submandibular gland in patients with head and neck cancer after radiation therapy: A preliminary study. *Anticancer Res.* 2017;37(6): 3239–3242.

Yamashita H, Kase Y, Murayama S: Simplified estimation method for dose distributions around field junctions in proton craniospinal irradiation. *Radiol Phys Technol.* 2017 Mar; 10(1): 95–105.

Yamazaki H, Fushiki M, Mizowaki T; the Kansai Cancer Therapist Group . A surveillance study of the current status of reirradiation and patterns of practice. *J Radiat Res.* 2017 Jan;58(1):71–78.

Yamazaki H, Nakamura S, Suzuki G, Yoshida K. In Regard to Phan et al. *Int J Radiat Oncol Biol Phys.* 2017 Mar 15;97(4):868.

Yamazaki H, Nakamura S, Suzuki G, Yoshida K, Kotsuma T. Comment on “Effect of tumor dose, volume and overall treatment time on local control after radiochemotherapy including MRI guided brachytherapy of locally advanced cervical cancer” Kari Tanderup et al. *Radiother Oncol.* 2017 Apr;123(1):169

Yamazaki H, Demizu Y, Okimoto T, Ogita M, Himei K, Nakamura S, Suzuki G, Yoshida K, Kotsuma T, Yoshioka Y, Oh R. Reirradiation for recurrent head and neck cancers using charged particle or photon radiotherapy. Strahlenther Onkol. 2017 Jul;193(7):525–33.

Yamazaki H, Suzuki G, Nakamura S, Yoshida K, Konishi K, Teshima T, Ogawa K. Radiotherapy for laryngeal cancer—technical aspects and alternate fractionation. J Radiat Res. 2017 Jul 1;58(4):495–508.

Yamazaki H, Ogita M, Himei K, Nakamura S, Suzuki G, Kotsuma T, Yoshida K, Yoshioka Y. Effect of intratumoral abscess/necrosis on the outcome for head and neck cancer patients treated by hypofractionated stereotactic re-irradiation using CyberKnife®. Mol Clin Oncol. 2017 Sep;7(3):336–40.

Yamazaki H, Aibe N, Nakamura S, Sasaki N, Suzuki G, Yoshida K, Yamada K, Koizumi M, Arimoto T, Iwasaki Y, Kaneko Y, Takayama K. Measurement of exhaled nitric oxide and serum surfactant protein D levels for monitoring radiation pneumonitis following thoracic radiotherapy. Oncol Lett. 2017 Oct;14(4):4190–6.

Yamazaki H, Suzuki G, Nakamura S, Hirano S, Yoshida K, Konishi K, Teshima T, Ogawa K. Radiotherapy for locally advanced resectable T3–T4 laryngeal cancer—does laryngeal preservation strategy compromise survival? J Radiat Res. 2017 Nov 28:1–14.

Yoden E, Nose T, Otani Y, Asahi S, Tsukiyama I, Dokiya T, Saeki T, Fukuda I, Sekine H, Shikama N, Kumazaki Y, Takahashi T, Yoshida K, Kotsuma T, Masuda N, Nakashima K, Matsumura T, Nakagawa S, Tachiiri S, Moriguchi Y, Itami J, Oguchi M. Uncertainty of cosmetic evaluation after accelerated partial breast irradiation: interim analysis of a Japanese prospective multi-institutional feasibility study. Jpn J Radiol. 2017 Jul;35(7):381–8

Yoshida K, Yamazaki H, Kotsuma T, Akiyama H, Takenaka T, Masui K, Yoshioka Y, Uesugi Y, Shimbo T, Yoshikawa N, Yoshioka H, Arika T, Tanaka E, Narumi Y. Edema worsens target coverage in high-dose-rate interstitial brachytherapy of mobile tongue cancer: a report of two cases. J Contemp Brachytherapy. 2017 Feb;9(1):66–70.